

**SOFT**  
**SEATING**

PRICE LIST

**SOFAS**  
**MODULAR SYSTEMS**  
**ARMCHAIRS**

## **INDEX**

Athena	<b>97</b>
Cello	<b>4</b>
Classic	<b>5</b>
Club	<b>99</b>
Club SQ	<b>100</b>
Columbia	<b>100</b>
Concerto	<b>6</b>
Conect II	<b>98</b>
Dallas	<b>7</b>
Dotto	<b>16</b>
Granite	<b>8</b>
Hello!	<b>101</b>
Hexa	<b>18</b>
Hexa Wall	<b>26</b>
Kaika	<b>103</b>
LinkUP	<b>30</b>
Magnes II	<b>32</b>
Mody	<b>9</b>
Quattro	<b>11</b>
Sand	<b>38</b>
Studio	<b>12</b>
Tapa	<b>54</b>
Tepee	<b>62</b>
Tutti	<b>13</b>
Zone	<b>14</b>

Valid from **April 2018**

© Copyright Nowy Styl Group

Nowy Styl Group reserves the right to change the constructional features, upholsteries and prices of products.

Nowy Styl Group's publications. All rights reserved. Brands and trademarks used herein are property of Nowy Styl Group.

# contents

## 01

### SOFAS

Cello	<b>4</b>
Classic	<b>5</b>
Concerto	<b>6</b>
Dallas	<b>7</b>
Dotto	<b>16</b>
Granite	<b>8</b>
Mody	<b>9</b>
Quattro	<b>11</b>
Studio	<b>12</b>
Tutti	<b>13</b>
Zone	<b>14</b>

## 02

### MODULAR SEATING SYSTEMS

Hexa	<b>18</b>
Hexa Wall	<b>26</b>
LinkUP	<b>30</b>
Magnes II	<b>32</b>
Sand	<b>38</b>
Tapa	<b>54</b>
Tepee	<b>62</b>

## 03

### ARMCHAIRS

Athena	<b>97</b>
Conect II	<b>98</b>
Club	<b>99</b>
Club SQ	<b>100</b>
Columbia	<b>100</b>
Hello!	<b>101</b>
Kaika	<b>103</b>

### OTHER INFORMATION

General Business Conditions	<b>112</b>
Cleaning and maintenance	<b>113</b>
Dictionary	<b>114</b>

# Description of fabrics

## 1 PRICE GROUP 1: Bondai, Lucia, Oban, Sempre

<b>Bondai BN</b>	Composition: Weight: Abrasion Resistance: Flammability:	100% polyester 250 g/m <sup>2</sup> 150 000 Martindale cycles EN 1021-1, EN 1021-2, BS 7176 medium hazard, BS 5852 Crib 5
<b>Kaiman KN</b>	Composition: Weight: Abrasion Resistance: Flammability: Other:	upper layer: 100% polyurethane, bottom layer: 65% polyester, 35% cotton 435 g/m <sup>2</sup> 100 000 Martindale cycles BS 5885 source 0 Hydrolyse (DIN EN ISO 32100 (DIN 53351) / DIN 53359) - 15 000 cycles
<b>Lucia YB</b>	Composition: Weight: Abrasion Resistance: Flammability: Other:	100% recycled polyester. Non metallic dyestuffs 260 g/m <sup>2</sup> 50 000 Martindale cycles EN 1021-1, EN 1021-2, BS 7176 low hazard, BS 476 Class 1 Environmental: EU Ecolabel Certified, recyclable
<b>Oban EF</b> <small>(only applicable to Nowy Styl brand products)</small>	Composition: Weight: Abrasion Resistance: Flammability:	100% polypropylene 230 g/m <sup>2</sup> grade A tested in accordance with EN 14465:2003 EN 1021-1
<b>Sempre SM</b>	Composition: Weight: Abrasion Resistance: Flammability:	100% polyester 366 g/m <sup>2</sup> 160 000 Martindale cycles EN 1021-1, EN 1021-2

## 2 PRICE GROUP 2: Contract, Nexus, Valencia, Xtreme

<b>Contract YN</b>	Composition: Weight: Abrasion Resistance: Flammability: Other:	100% recycled polyester. Non metallic dyestuffs 320 g/m <sup>2</sup> 100 000 Martindale cycles EN 1021-1, EN 1021-2, BS 7176 low hazard, BS 7176 medium hazard, BS 5852 Crib 5, NF P 503 M1, DIN 4102 B1, UNI 9174 Classe 1 Environmental: EU Ecolabel Certified, recyclable
<b>Era CSE</b>	Composition: Weight: Abrasion Resistance: Flammability:	100% polyester. Non metallic dyestuffs 320 g/m <sup>2</sup> ≥100 000 Martindale cycles EN 1021-1, EN 1021-2, BS 7176 low hazard
<b>Microfibra CM</b>	Composition: Weight: Abrasion Resistance: Flammability: Other:	83% polyester, 17% cotton 355 g/m <sup>2</sup> 100 000 Martindale cycles EN 1021-1, EN 1021-2 Zero Spot - protective layer against dirt, stains & water
<b>Nexus UNY</b>	Composition: Weight: Abrasion Resistance: Flammability:	100% polyester 300 g/m <sup>2</sup> 100 000 Martindale cycles EN 1021-1, EN 1021-2, BS 7176 low hazard
<b>Valencia VL</b>	Composition: Weight: Abrasion Resistance: Flammability: Other:	upper layer: 100% vinyl, bottom layer: 100% Hi-Loft polyester 650 g/m <sup>2</sup> 300 000 Martindale cycles EN 1021-1, EN 1021-2, DIN 4102 B2, NF P 92-503 M2, Önorm B 3825, Önorm A 3800-1 Q1 EN 71-3 Safety of toys (migration of certain elements) PERMABLOK3 <sup>®</sup> - superior antibacterial, antistain and antifungal protection
<b>Xtreme XR</b>	Composition: Weight: Abrasion Resistance: Flammability: Other:	100% recycled polyester. Non metallic dyestuffs 310 g/m <sup>2</sup> 100 000 Martindale cycles EN 1021-1, EN 1021-2, BS 7176 low hazard, BS 7176 medium hazard, BS 5852 Crib 5, DIN 4102 B1, UNI 9174 Classe 1 Environmental: EU Ecolabel Certified, recyclable

### 3 PRICE GROUP 3: Flex, King L Elast, Oxygen, Silvertex, Split Leather SP FRONT

<b>Flex XF</b>	Composition: Weight: Abrasion Resistance: Flammability:	100% polyester 450 g/m <sup>2</sup> 80 000 Martindale cycles EN 1021-1, EN 1021-2, Calif. Bull. 117E, Önorm B 3825, Önorm A 3800-1 Q1
<b>King L Elast K</b>	Composition: Weight: Abrasion Resistance: Flammability:	100% Trevira CS polyester 260 g/m <sup>2</sup> 70 000 Martindale cycles EN 1021-1, EN 1021-2, BS 7176 medium hazard, BS 5852 Crib 5, NF P 92-501-7 M1, DIN 4102 B1
<b>Oxygen OX</b>	Composition: Weight: Abrasion Resistance: Flammability:	90% wool, 10% polyamide 400 g/m <sup>2</sup> 100 000 Martindale cycles EN 1021-1, EN 1021-2, BS 7176 low hazard, UNI 9175 Classe 1.IM
<b>Silvertex SX</b>	Composition: Weight: Abrasion Resistance: Flammability: Other:	upper layer: 100% vinyl, bottom layer: 100% Hi-Loft polyester 685 g/m <sup>2</sup> 300 000 Martindale cycles EN 1021-1, EN 1021-2, DIN 4102 B1, NF P 92-503 M2, Önorm B 3825, Önorm A 3800-1 Q1 PERMABLOK3 <sup>®</sup> - superior antibacterial, antistain and antifungal protection SILVERGUARD <sup>®</sup> - natural environmentally friendly bacteria fighting defense to inhibit odour and stain causing bacteria (silver ion technology)
<b>Split Leather SP FRONT</b> <small>(only applicable to Nowy Styl brand products, back in V artificial leather)</small>	Composition:	split leather (1.1 mm - 1.3 mm)


### 4 PRICE GROUP 4: Blazer, Fame, Fine Leather LE FRONT, Fine Leather SD FRONT, Synergy

<b>Blazer CUZ</b>	Composition: Weight: Abrasion Resistance: Flammability: Other:	100% virgin wool. Non metallic dyestuffs 460 g/m <sup>2</sup> 50 000 Martindale cycles EN 1021-1, EN 1021-2, BS 7176 low hazard, UNI 9175 Classe 1.IM Environmental: EU Ecolabel Certified. Renewable and compostable
<b>Fame F</b>	Composition: Weight: Abrasion Resistance: Flammability: Other:	95% wool, 5% polyamide 435 g/m <sup>2</sup> 200 000 Martindale cycles EN 1021-1, EN 1021-2, BS 5852 source 0, BS 5852 source 1, BS 5852 Crib 5, Calif. Bull. 117E, UNI 9175 Classe 1.IM, NF D 60-013 AM 18, IMO A.652, IMO/MED Certificate Environmental: EU Ecolabel Certified
<b>Fine Leather LE FRONT</b> <small>(only applicable to Nowy Styl brand products, back in V artificial leather)</small>	Composition:	soft grain leather (0.9-1.1 mm), thoroughly dyed
<b>Fine Leather SD FRONT</b> <small>(only applicable to Nowy Styl brand products, back in V artificial leather)</small>	Composition:	soft grain leather (0.9-1.1 mm), thoroughly dyed
<b>Synergy LDS</b>	Composition: Weight: Abrasion Resistance: Flammability:	95% wool, 5% polyamide 400 g/m <sup>2</sup> 100 000 Martindale cycles EN 1021-1, EN 1021-2, BS 7176 low hazard, UNI 9175 Classe 1.IM, NF D 60-013 AM18, Önorm B 3825, Önorm A 3800-1 Q1

### 5 PRICE GROUP 5: Fine Leather LE, Fine Leather SD, Fine Leather Q

<b>Fine Leather LE</b>	Composition:	soft grain leather (0.9-1.1 mm), thoroughly dyed
<b>Fine Leather SD</b>	Composition:	soft grain leather (0.9-1.1 mm), thoroughly dyed
<b>Fine Leather Q</b>	Composition:	soft grain leather (1.2-1.4 mm), thoroughly dyed

**Cello armchair**




Armchair with the front legs made of chromium-plated conical pipes or stained wood. Its back legs are made of chromium-plated pipes. Springs Bonnell 120 mm, which have been used in the construction of the seat, ensure outstanding comfort. Large choice of finishing materials makes the chair ideal for any type of office interior.

**DIMENSIONS:** 840 × 750 mm  
**HEIGHT:** 790 mm  
**SEAT HEIGHT:** 430 mm

Price group	2	3	4	5
chrome	630	686	710	979
wood + chrome	718	774	798	1067

**Cello 2-seater sofa**




2-seater sofa with the front legs made of conical pipes or stained wood. Its back legs are made of chromium-plated pipes. Exceptional comfort is ensured by the use of springs Bonnell 120 mm in the construction of the seat. Large choice of finishing materials makes this sofa ideal for any type of office interior.

**DIMENSIONS:** 1520 × 750 mm  
**HEIGHT:** 790 mm  
**SEAT HEIGHT:** 430 mm

Price group	2	3	4	5
chrome	860	938	970	1272
wood + chrome	948	1026	1156	1360

**Cello 3-seater sofa**



3-seater sofa with the front legs made of conical pipes or stained wood. Its back legs are made of chromium-plated pipes. Exceptional comfort is ensured by the use of springs Bonnell 120 mm in the construction of the seat. Large choice of finishing materials makes this sofa ideal for any type of office interior.

**DIMENSIONS:** 1850 × 750 mm  
**HEIGHT:** 790 mm  
**SEAT HEIGHT:** 430 mm

Price group	2	3	4	5
chrome	1032	1127	1303	1503
wood + chrome	1120	1215	1391	1591

**Cello Table Ø 80**





Table with a transparent or matt glass top and its legs made entirely out of chromium-plated pipes or stained wood with chromium-plated ring.

**TABLE TOP DIMENSIONS:** Ø 800 mm  
**HEIGHT:** 430 mm  
**TABLE TOP THICKNESS:** 12 mm

	transparent glass	matt glass
chrome	352	378
wood + chrome	384	411

**Classic armchair**




Armchair with a visible frame made of chromium-plated conical pipes. Springs Bonnell 120 mm have been used in the construction of the seat for enhanced comfort. Exceptional aesthetics and functionality in conjunction with unique technical solutions.

**DIMENSIONS:** 990 × 850 mm  
**HEIGHT:** 710 mm  
**SEAT HEIGHT:** 410 mm

Price group	2	3	4	5
chrome	–	–	–	1343

**Classic 2-seater sofa**




2-seater sofa with a visible frame made of chromium-plated conical pipes. Springs Bonnell 120 mm have been used in the construction of the seat for enhanced comfort. Exceptional aesthetics and functionality in conjunction with unique technical solutions.

**DIMENSIONS:** 1570 × 850 mm  
**HEIGHT:** 710 mm  
**SEAT HEIGHT:** 410 mm

Price group	2	3	4	5
chrome	–	–	–	1843

**Classic 3-seater sofa**



3-seater sofa with a visible frame made of chromium-plated conical pipes. Springs Bonnell 120 mm have been used in the construction of the seat for enhanced comfort. Exceptional aesthetics and functionality in conjunction with unique technical solutions.

**DIMENSIONS:** 2030 × 850 mm  
**HEIGHT:** 710 mm  
**SEAT HEIGHT:** 410 mm

Price group	2	3	4	5
chrome	–	–	–	2352

**Classic Table 60 × 60**



Table with glass or wood top and the frame made of conical chromium-plated pipes.

**DIMENSIONS:** 620 × 630 mm  
**TABLE TOP DIMENSIONS:** 600 × 600 mm  
WITH GLASS DESKTOP:  
**HEIGHT:** 410 mm  
**TABLE TOP THICKNESS:** 10 mm  
WITH WOOD DESKTOP:  
**HEIGHT:** 415 mm  
**TABLE TOP THICKNESS:** 12 mm

	matt glass	white glass (RAL 9003)*	anthracite glass (RAL 7016)*	black glass (RAL 9005)*	melamine	veneer + 4	veneer + 5
chrome	277	304	304	304	230	295	302

\*toughened glass coated with ceramic paint on the bottom side

**Classic Table 60 × 120**





Table with glass or wood top and the frame made of conical chromium-plated pipes.

**DIMENSIONS:** 620 × 1230 mm  
**TABLE TOP DIMENSIONS:** 600 × 1200 mm  
WITH GLASS DESKTOP:  
**HEIGHT:** 410 mm  
**TABLE TOP THICKNESS:** 10 mm  
WITH WOOD DESKTOP:  
**HEIGHT:** 415 mm  
**TABLE TOP THICKNESS:** 12 mm

	matt glass	white glass (RAL 9003)*	anthracite glass (RAL 7016)*	black glass (RAL 9005)*	melamine	veneer + 4	veneer + 5
chrome	356	406	406	406	310	398	405

\*toughened glass coated with ceramic paint on the bottom side

**Concerto armchair**




Armchair on metal, painted or chromium plated frame. Its backrest has been filled with a mixture of goose feather and polyurethane foam for the highest comfort parameters. Corrugated springs have been used in the construction of the seat. The seat and backrest cushion covers are removable for easy cleaning.

**DIMENSIONS:** 940 × 920 mm  
**HEIGHT:** 900 mm  
**SEAT HEIGHT:** 460 mm

Price group	2	3	4	5
chrome	722	761	849	1146
white (RAL 9003)	722	761	849	1146
anthracite (RAL 7016)	722	761	849	1146
black (RAL 9005)	663	691	793	1093

**Concerto 2-seater sofa**




2-seater sofa on metal, painted or chromium plated frame. Its backrest has been filled with a mixture of goose feather and polyurethane foam for the highest comfort parameters. Corrugated springs have been used in the construction of the seat. The seat and backrest cushion covers are removable for easy cleaning.

**DIMENSIONS:** 1520 × 920 mm  
**HEIGHT:** 900 mm  
**SEAT HEIGHT:** 460 mm

Price group	2	3	4	5
chrome	1111	1217	1253	1777
white (RAL 9003)	1111	1217	1253	1777
anthracite (RAL 7016)	1111	1217	1253	1777
black (RAL 9005)	1043	1149	1184	1724

**Concerto 3-seater sofa**



3-seater sofa on metal, painted or chromium plated frame. Its backrest has been filled with a mixture of goose feather and polyurethane foam for the highest comfort parameters. Corrugated springs have been used in the construction of the seat. The seat and backrest cushion covers are removable for easy cleaning.

**DIMENSIONS:** 2120 × 920 mm  
**HEIGHT:** 900 mm  
**SEAT HEIGHT:** 460 mm

Price group	2	3	4	5
chrome	1480	1621	1668	2273
white (RAL 9003)	1480	1621	1668	2273
anthracite (RAL 7016)	1480	1621	1668	2273
black (RAL 9005)	1412	1553	1600	2209

**Concerto Table 80 × 80**



Table with glass or wood top on chromium-plated or painted metal legs.

**DIMENSIONS:** 800 × 800 mm  
**TABLE TOP DIMENSIONS:** 800 × 800 mm  
WITH GLASS DESKTOP:  
**HEIGHT:** 380 mm  
**TABLE TOP THICKNESS:** 10 mm  
WITH WOOD DESKTOP:  
**HEIGHT:** 390 mm  
**TABLE TOP THICKNESS:** 25 mm

	transparent glass	mat glass	white glass (RAL 9003)*	anthracite glass (RAL 7016)*	black glass (RAL 9005)*	melamine	veneer + 4	veneer + 5
chrome	213	228	261	261	261	151	249	280
white (RAL 9003)	213	228	261	261	261	151	249	280
anthracite (RAL 7016)	213	228	261	261	261	151	249	280
black (RAL 9005)	183	202	233	233	233	116	218	250

\* toughened glass coated with ceramic paint on the bottom side. Attention, in one colour sets (white frame + white top) colour tint differences are possible though the same RAL colour.

**Concerto Table 75 × 130**





Table with glass or wood top on chromium-plated or painted metal legs.

**DIMENSIONS:** 750 × 1300 mm  
**TABLE TOP DIMENSIONS:** 750 × 1300 mm  
WITH GLASS DESKTOP:  
**HEIGHT:** 380 mm  
**TABLE TOP THICKNESS:** 10 mm  
WITH WOOD DESKTOP:  
**HEIGHT:** 390 mm  
**TABLE TOP THICKNESS:** 25 mm

	transparent glass	mat glass	white glass (RAL 9003)*	anthracite glass (RAL 7016)*	black glass (RAL 9005)*	melamine	veneer + 4	veneer + 5
chrome	272	293	340	340	340	192	326	372
white (RAL 9003)	272	293	340	340	340	192	326	372
anthracite (RAL 7016)	272	293	340	340	340	192	326	372
black (RAL 9005)	231	252	299	299	299	151	285	331

\* toughened glass coated with ceramic paint on the bottom side. Attention, in one colour sets (white frame + white top) colour tint differences are possible though the same RAL colour.

**Dallas CFS**  
(Dallas armchair on sled base)




Seat in the Dallas CFS model is planted on a metal frame encased in cast foam (polyurethane foam with appropriate hardness). CFS frame - made from high quality square profile steel tube with dimensions 20×20mm. Available as a chromium plated model or painted.

**DIMENSIONS:** 635 × 525 mm  
**HEIGHT:** 725 mm  
**SEAT HEIGHT:** 470 mm

Price group	2	3	4	5
chrome	441	477	523	675
white (RAL 9003)	441	477	523	675
anthracite (RAL 7016)	441	477	523	675
black (RAL 9005)	384	420	466	618

**Dallas 1S**  
(Dallas armchair on disc base)




Seat in the Dallas 1S model is planted on a metal frame encased in cast foam (polyurethane foam with appropriate hardness). The disc base in the 1S with a diameter of 500mm is available only as a chromium plate model. The column is also chromium plated, with a diameter of 50mm. The base has a mechanism for swivelling the armchair while in use.

**DIMENSIONS:** 635 × 525 mm  
**HEIGHT:** Ø 725 mm  
**SEAT HEIGHT:** 480 mm

Price group	2	3	4	5
chrome	480	516	562	714

**Dallas DUO CFS**  
(2-seater sofa on sled base)




The seat in the two-seater Dallas sofa is planted on a metal carcass encased in foam with appropriate thickness and density. CFS frame - made from high quality square profile steel tube with dimensions 20 × 20 mm. Available as a chromium plated model or painted.

**DIMENSIONS:** 1350 × 525 mm  
**HEIGHT:** 725 mm  
**SEAT HEIGHT:** 470 mm

Price group	2	3	4	5
chrome	560	635	700	-
white (RAL 9003)	560	635	700	-
anthracite (RAL 7016)	560	635	700	-
black (RAL 9005)	498	573	638	-

**Dallas DUO CFS**  
(2-seater sofa on sled base)



When upholstered in leather, stitching is visible in the centre of the seat and back pad.

**DIMENSIONS:** 1350 × 525 mm  
**HEIGHT:** 725 mm  
**SEAT HEIGHT:** 470 mm

Price group	2	3	4	5
chrome	-	-	-	983
white (RAL 9003)	-	-	-	983
anthracite (RAL 7016)	-	-	-	983
black (RAL 9005)	-	-	-	921

**Dallas table**





Table with glass top on chromium-plated or painted metal legs.

**TABLE TOP DIMENSIONS:** 550 × 550 mm  
**TOP THICKNESS:** 10 mm  
**HEIGHT:** 520 mm

	transparent glass	matt glass	white glass (RAL 9003)*	anthracite glass (RAL 7016)*	black glass (RAL 9005)*
chrome	247	253	273	273	273
white (RAL 9003)	247	253	273	273	273
anthracite (RAL 7016)	247	253	273	273	273
black (RAL 9005)	189	208	230	230	230

\* Toughened glass coated with ceramic paint on the bottom side. Attention, in one colour sets (white frame + white top) colour tint differences are possible though the same RAL colour.

**Granite armchair**




Armchair with armrests. Seat and back fully upholstered. Chrome-plated base made from steel bars with transparent glides for hard floors. Seat design incorporates top quality DUX springs. An armchair can be upholstered in two different colours for the price of one, as this counts as a single finish (see the image below).

**DIMENSIONS:** 790 × 880 mm  
**HEIGHT:** 700 mm  
**SEAT HEIGHT:** 450 mm

Price group	2	3	4	5
chrome	550	616	658	735

**Granite 2-seater sofa**




2-seater sofa with armrests. Seat and back fully upholstered. Chrome-plated base made from steel bars with transparent glides for hard floors. Seat design incorporates top quality DUX springs. A sofa can be upholstered in two different colours for the price of one, as this counts as a single finish (see the image below).

**DIMENSIONS:** 1470 × 880 mm  
**HEIGHT:** 700 mm  
**SEAT HEIGHT:** 450 mm

Price group	2	3	4	5
chrome	776	868	928	1051

**Granite 3-seater sofa**





3-seater sofa with armrests. Seat and back fully upholstered. Chrome-plated base made from steel bars with transparent glides for hard floors. Seat design incorporates top quality DUX springs. A sofa can be upholstered in two different colours for the price of one, as this counts as a single finish (see the image below).

**DIMENSIONS:** 1810 × 880 mm  
**HEIGHT:** 700 mm  
**SEAT HEIGHT:** 450 mm

Price group	2	3	4	5
chrome	916	1023	1100	1336

Possibility of upholstery materials combination (same type of upholstery e.g. leather + leather):



**Mody 100**

Armless chair. Seat and back fully upholstered with stitching.

Price group	2	3	4	5
chrome	478	501	547	610



**DIMENSIONS:** 700 × 650 mm  
**HEIGHT:** 790 mm  
**SEAT HEIGHT:** 420 mm

**Mody 110**

Armchair with armrests. Seat and back fully upholstered with stitching. Armrests: upper part upholstered in leather, lower part black, enameled wood.

Price group	2	3	4	5
chrome	614	637	684	747




**DIMENSIONS:** 730 × 650 mm  
**HEIGHT:** 790 mm  
**SEAT HEIGHT:** 420 mm

**Mody 200**

Armless 2-seater sofa. Seat and back fully upholstered with stitching.

Price group	2	3	4	5
chrome	844	881	907	989




**DIMENSIONS:** 1260 × 650 mm  
**HEIGHT:** 790 mm  
**SEAT HEIGHT:** 420 mm

**Mody 210**

2-seater sofa with armrests. Seat and back fully upholstered with stitching. Armrests: upper part upholstered in leather, lower part black, enameled wood.


Price group	2	3	4	5
chrome	981	1017	1044	1126



**DIMENSIONS:** 1290 × 650 mm  
**HEIGHT:** 790 mm  
**SEAT HEIGHT:** 420 mm

**Mody 50 × 50 coffee Table**

Coffee table with glass or wood tabletop.




**DIMENSIONS:** 510 × 510 mm  
**TABLE TOP DIMENSIONS:** 500 × 500 mm  
 WITH GLASS DESKTOP:  
**HEIGHT:** 380 mm  
**TABLE TOP THICKNESS:** 10 mm  
 WITH WOOD DESKTOP:  
**HEIGHT:** 393 mm  
**TABLE TOP THICKNESS:** 18 mm

	transparent glass	graphite glass*	melamine**	veneer + 4**	veneer + 5**
chrome	204	214	114	183	192

\*through-dyed glass (antiso)  
 \*\*corners of the wood top are **not rounded off**

**Mody 50 × 70 coffee Table**

Coffee table with glass or wood tabletop.




**DIMENSIONS:** 510 × 710 mm  
**TABLE TOP DIMENSIONS:** 500 × 700 mm  
 WITH GLASS DESKTOP:  
**HEIGHT:** 380 mm  
**TABLE TOP THICKNESS:** 10 mm  
 WITH WOOD DESKTOP:  
**HEIGHT:** 393 mm  
**TABLE TOP THICKNESS:** 18 mm

	transparent glass	graphite glass*	melamine**	veneer + 4**	veneer + 5**
chrome	238	249	136	215	228

\*through-dyed glass (antiso)  
 \*\*corners of the wood top are **not rounded off**

**Mody 70 × 70 coffee Table**

Coffee table with glass or wood tabletop.




**DIMENSIONS:** 710 × 710 mm  
**TABLE TOP DIMENSIONS:** 700 × 700 mm  
 WITH GLASS DESKTOP:  
**HEIGHT:** 380 mm  
**TABLE TOP THICKNESS:** 10 mm  
 WITH WOOD DESKTOP:  
**HEIGHT:** 393 mm  
**TABLE TOP THICKNESS:** 18 mm

	transparent glass	graphite glass*	melamine**	veneer + 4**	veneer + 5**
chrome	274	285	155	250	267

\*through-dyed glass (antiso)  
 \*\*corners of the wood top are **not rounded off**

**Quattro armchair**




Armchair on wooden or metal, chromium-plated legs. Corrugated and 75 mm Bonnell springs have been used in the construction of the seat. The backrest and seat cushion covers are removable for easy cleaning.

**DIMENSIONS:** 990 × 990 mm  
**HEIGHT:** 880 mm  
**SEAT HEIGHT:** 440 mm

Price group	2	3	4	5
chrome	794	869	901	1185
wood	812	887	919	1208

**Quattro 2-seater sofa**




2-seater sofa on wooden or metal, chromium-plated legs. Corrugated and 75 mm Bonnell springs have been used in the construction of the seat. The backrest and seat cushion covers are removable for easy cleaning.

**DIMENSIONS:** 1600 × 990 mm  
**HEIGHT:** 880 mm  
**SEAT HEIGHT:** 440 mm

Price group	2	3	4	5
chrome	1064	1166	1205	1596
wood	1082	1183	1223	1614

**Quattro 3-seater sofa**



3-seater sofa on wooden or metal, chromium-plated legs. Corrugated and 75 mm Bonnell springs have been used in the construction of the seat. The backrest and seat cushion covers are removable for easy cleaning.

**DIMENSIONS:** 2190 × 990 mm  
**HEIGHT:** 880 mm  
**SEAT HEIGHT:** 440 mm

Price group	2	3	4	5
chrome	1394	1528	1566	1931
wood	1412	1546	1583	1949

**Quattro Table 80 × 80**



Table with wooden top, on metal chromium-plated legs.

**TABLE TOP DIMENSIONS:** 800 × 800 mm  
**HEIGHT:** 410 mm  
**TABLE TOP THICKNESS:** 40 mm

	melamine	veneer + 4	veneer + 5
chrome	337	459	497

**Quattro Table 75 × 130**





Table with wooden top, on metal chromium-plated legs.

**TABLE TOP DIMENSIONS:** 750 × 1300 mm  
**HEIGHT:** 410 mm  
**TABLE TOP THICKNESS:** 40 mm

	melamine	veneer + 4	veneer + 5
chrome	378	526	565

**Studio armchair**




Armchair with its frame resting on chromium-plated legs. Bonnell springs 120 and 75 mm have been used in the seat and backrest. Thanks to its simple yet smart form, this chair will look excellent in any interior.

**DIMENSIONS:** 760 x 750 mm  
**HEIGHT:** 700 mm  
**SEAT HEIGHT:** 440 mm

Price group	2	3	4	5
chrome	653	711	810	939

**Playwood writing tablet for Studio armchair**




Plywood stained tabletop.

**WRITING TABLET HEIGHT:** 680 mm  
**WRITING TABLET DIMENSIONS:** 355 x 257 mm  
**WRITING TABLET THICKNESS:** 14 mm

Price group	surcharge
wood	104

**Studio 2-seater sofa**




2-seater sofa with its overall construction supported by metal, chromium-plated legs. Bonnell springs 120 and 75 mm have been used in the seat and backrest. Thanks to its simple yet smart form this sofa will look excellent in any interior.

**DIMENSIONS:** 1300 x 750 mm  
**HEIGHT:** 700 mm  
**SEAT HEIGHT:** 440 mm

Price group	2	3	4	5
chrome	811	881	933	1210

**Studio 3-seater sofa**



3-seater sofa with its overall construction supported by metal, chromium-plated legs. Bonnell springs 120 and 75 mm have been used in the seat and backrest. Thanks to its simple yet smart form this sofa will look excellent in any interior.

**DIMENSIONS:** 1900 x 750 mm  
**HEIGHT:** 700 mm  
**SEAT HEIGHT:** 440 mm

Price group	2	3	4	5
chrome	1164	1266	1370	1723

**Studio Table 75 x 75**



Table with wooden top, laminated or veneered, on metal chromium-plated legs.

**DIMENSIONS:** 750 x 750 mm  
**HEIGHT:** 405 mm  
**TABLE TOP THICKNESS:** 28 mm

	laminate	veneer + 4	veneer + 5
chrome	391	401	419

**Studio Table 70 x 110**



Table with wooden top, laminated or veneered, on metal chromium-plated legs.

**DIMENSIONS:** 700 x 1100 mm  
**HEIGHT:** 405 mm  
**TABLE TOP THICKNESS:** 28 mm

	laminate	veneer + 4	veneer + 5
chrome	412	427	448

**Tutti armchair**




Chair with a medium-height backrest and metal, painted or chromium-plated legs. Special elastic structure has been used in its seat for enhanced comfort use. Relatively small and attractively shaped, this chair will look good in the elegant reception areas of your office.

**DIMENSIONS:** 560 × 550 mm  
**HEIGHT:** 810 mm  
**SEAT HEIGHT:** 460 mm

Price group	2	3	4	5
chrome	386	418	477	537
white (RAL 9003)	386	418	477	537
anthracite (RAL 7016)	386	418	477	537
black (RAL 9005)	369	401	459	522

**Tutti armchair with a high backrest**




Chair with a higher backrest and metal, painted or chromium-plated legs. Special elastic structure has been used in its seat for enhanced comfort use. Relatively small and attractively shaped, this chair will look good in the elegant reception areas of your office.

**DIMENSIONS:** 550 × 600 mm  
**HEIGHT:** 910 mm  
**SEAT HEIGHT:** 460 mm

Price group	2	3	4	5
chrome	413	442	512	574
white (RAL 9003)	413	442	512	574
anthracite (RAL 7016)	413	442	512	574
black (RAL 9005)	395	425	495	559

**Tutti 2-seater sofa**




2-seater sofa with metal, painted or chromium-plated legs. Special elastic structure has been used in its seat for enhanced comfort use. Relatively small and attractively shaped, this sofa will look good in the elegant reception areas of your office.

**DIMENSIONS:** 1100 × 550 mm  
**HEIGHT:** 810 mm  
**SEAT HEIGHT:** 460 mm

Price group	2	3	4	5
chrome	568	624	704	815
white (RAL 9003)	568	624	704	815
anthracite (RAL 7016)	568	624	704	815
black (RAL 9005)	556	613	692	802

**Tutti 3-seater sofa**



3-seater sofa with metal, painted or chromium-plated legs. Special elastic structure has been used in its seat for enhanced comfort use. Relatively small and attractively shaped, this sofa will look good in the elegant reception areas of your office.

**DIMENSIONS:** 1600 × 550 mm  
**HEIGHT:** 810 mm  
**SEAT HEIGHT:** 460 mm

Price group	2	3	4	5
chrome	655	709	827	1047
white (RAL 9003)	655	709	827	1047
anthracite (RAL 7016)	655	709	827	1047
black (RAL 9005)	637	698	811	1035

**Tutti Table 55 × 55**



Table with glass or wood top on chromium-plated or painted metal legs.

**DIMENSIONS:** 550 × 550 mm  
**TABLE TOP DIMENSIONS:** 550 × 550 mm  
WITH GLASS DESKTOP:  
**HEIGHT:** 450 mm  
**TABLE TOP THICKNESS:** 10 mm  
WITH WOOD DESKTOP:  
**HEIGHT:** 455 mm  
**TABLE TOP THICKNESS:** 12 mm

	transparent glass	matt glass	white glass (RAL 9003)*	anthracite glass (RAL 7016)*	black glass (RAL 9005)*	melamine	vener + 4	vener + 5
chrome	239	246	265	265	265	211	274	285
white (RAL 9003)	239	246	265	265	265	211	274	285
anthracite (RAL 7016)	239	246	265	265	265	211	274	285
black (RAL 9005)	183	201	223	223	223	168	230	242

\* toughened glass coated with ceramic paint on the bottom side. Attention, in one colour sets (white frame + white top) colour tint differences are possible though the same RAL colour.

**Tutti Table 55 × 110**



Table with glass or wood top on chromium-plated or painted metal legs.

**DIMENSIONS:** 550 × 1100 mm  
**TABLE TOP DIMENSIONS:** 550 × 1100 mm  
WITH GLASS DESKTOP:  
**HEIGHT:** 450 mm  
**TABLE TOP THICKNESS:** 10 mm  
WITH WOOD DESKTOP:  
**HEIGHT:** 455 mm  
**TABLE TOP THICKNESS:** 12 mm

	transparent glass	matt glass	white glass (RAL 9003)*	anthracite glass (RAL 7016)*	black glass (RAL 9005)*	melamine	vener + 4	vener + 5
chrome	293	304	349	349	349	244	329	340
white (RAL 9003)	293	304	349	349	349	244	329	340
anthracite (RAL 7016)	293	304	349	349	349	244	329	340
black (RAL 9005)	245	265	309	309	309	198	284	294

\* toughened glass coated with ceramic paint on the bottom side. Attention, in one colour sets (white frame + white top) colour tint differences are possible though the same RAL colour.

**Zone armchair**




Armchair with wooden armrests. Seat and back fully upholstered. Armchair frame made entirely of chrome circular tubing. Construction of the seat and back ensures comfort thanks to a high density and thickness of foam. Large selection of finishes as well as design make the chair suitable for all office spaces, and more.

**EXTERNAL DIMENSIONS:** 643×650 mm  
**HEIGHT:** 800 mm  
**SEAT HEIGHT:** 460 mm

Price group	1	2	3	4	5
chrome	259	272	285	299	354

**Zone 2-seater sofa**




2-seater sofa with wooden armrests. Seat and back fully upholstered. Armchair frame made entirely of chrome circular tubing. Construction of the seat and back ensures comfort thanks to a high density and thickness of foam. Large selection of finishes as well as design make the chair suitable for all office spaces, and more.

**EXTERNAL DIMENSIONS:** 1300 × 650 mm  
**HEIGHT:** 800 mm  
**SEAT HEIGHT:** 460 mm

Price group	1	2	3	4	5
chrome	337	360	383	412	–

**Zone 2-seater sofa**



When upholstered in leather, stitching is visible in the centre of the seat and back pad.

**EXTERNAL DIMENSIONS:** 1300 × 650 mm  
**HEIGHT:** 800 mm  
**SEAT HEIGHT:** 460 mm

Price group	1	2	3	4	5
chrome	–	–	–	–	521

**Zone Table 55 x 55**

Table with wooden or melamine top (with rounded off corners) on metal chromium-plated tubular legs. Forming a coherent whole when combined with the wooden armrests of the sofa.



**TABLE TOP DIMENSIONS:** 550 x 550 mm  
**EXTERNAL DIMENSIONS:** 550 x 550 mm  
**HEIGHT:** 460 mm  
**TABLETOP THICKNESS:** 25 mm

	melamine	veneer + 4	veneer + 5
chrome	79	198	212

**Zone Table 55 x 110**

Table with wooden or melamine top (with rounded off corners) on metal chromium-plated tubular legs. Forming a coherent whole when combined with the wooden armrests of the sofa.



**TABLE TOP DIMENSIONS:** 550 x 1100 mm  
**EXTERNAL DIMENSIONS:** 550 x 1100 mm  
**HEIGHT:** 460 mm  
**TABLETOP THICKNESS:** 25 mm

	melamine	veneer + 4	veneer + 5
chrome	111	269	296

# DOTTO pouffes & balls

## Pouffes

The line of Dotto pouffes is characterised by lightness combined with simplicity of forms and shapes. The pouffes are the perfect complement to any workstation, making its character much warmer.

The product range includes round and square pouffes. The structure of both models consists of expanded polystyrene and polyurethane foam. The optimally chosen foam density and the

height of the pouffes ensure great comfort during use.

Dotto pouffes can be successfully used to complement informal meeting zones, reception areas and open space offices.



	ROUND		SQUARE
Diameter	450 mm	800 mm	–
Width	–	–	450 mm
Height	400 mm	400 mm	400 mm
Depth	–	–	450 mm

F1: __	Finish			
	Price group 1 (as in the catalogue)	100	240	95
	Price group 2 (as in the catalogue)	120	280	115
	Price group 3 (as in the catalogue)	130	310	125
	Price group 4 (as in the catalogue)	140	330	135

**Sample order**

DOTTO POUFFE **ROUND** (DI:450 H:400 F1:CUZ58)

DOTTO POUFFE **ROUND** (DI:800 H:400 F1:CUZ58)

DOTTO POUFFE **SQUARE** (W:450 D:450 H:400 F1:CUZ58)

# Balls

The Dotto product family is complemented with Dotto balls, available in two dimensions: DI 550 mm and DI 650 mm. They consist of an inflatable ball and

a carefully designed and manufactured cover. The stability of the product is ensured by a metal weight placed in the base of the ball.

The ball is the perfect alternative to a chair while working at an office desk. They also work well in chill-out zones and informal meeting places.



Diameter	550 mm	650 mm
----------	--------	--------

F1: ___ F2: ___	Finish		
	Price group 2 (as in the catalogue)	160	180
	Price group 4 (as in the catalogue)	210	240

**F1** – base colour  
**F2** – complementary colour



### Sample order

DOTTO BALL (DI:550 F1:LDS17 F2:LDS55)

DOTTO BALL (DI:650 F1:LDS17 F2:LDS55)

# HEXA modular seating system

The Hexa modular seating system can be used to create a unique system that will work almost every kind of workspace, complementing the function and aesthetics of an interior. It helps create a hub which ensures acoustic isolation when seated within a pod. This ensures private meetings and a better flow of information and exchange of ideas.


> **The Hexa** range consists of 22 modules serving as seats or linking units which can be freely configured. The Hexa seating system consists of modules with armrests

(free-standing modules), modules without armrests, modules with only right or only left armrest, and corner units – of which sets can be composed. Each of the modules comes with either a low or high backrest.

> **Hexa** units have a durable solid wooden structure. Both the seat and backrest of the armchair are covered with a foam of appropriate density. The backrest is composed of profiled foam which offers high comfort seating by providing adequate support for the lumbar region of user's spine. The Hexa line also includes


small tables: low (height 520 mm) and high (height 720 mm).

> Products from the Hexa range are available with elegant chromium-plated adjustable (+/- 10 mm) glides.




Adjustable glide


## Rules for linking modules




- free-standing modules
- may not be linked with other Hexa modules




- these modules cannot stand on their own (linking fixtures are visible on the sides of the seats and on the backrest)
- must be combined into sets
- modules 11R and 11L, as well as 21R and 21L must act as the end component in a set



**Hexa 120**



**Hexa 12R**




**Hexa 12L**




**Hexa 220**



**Hexa 22R**




**Hexa 22L**




**Hexa 020**


- these modules cannot stand on their own (linking fixtures are visible on the sides of the seats and on the backrest)
- must be combined into sets
- modules 12R and 12L, as well as 22R and 22L must act as the end component in a set



**Hexa 122E**



**Hexa 222E**



**Hexa phone booth**

- free-standing modules
- may not be linked with other Hexa modules

**PLEASE NOTE:**

The following modules CAN be linked with each other:

1. 110; 11R; 11L; 210; 21R; 21L; 010
2. 120; 12R; 12L; 220; 22R; 22L; 020

The following modules CANNOT be linked with each other:

1. Hexa: 112, 122, 212, 222 cannot be linked with Hexa products: 110; 11R; 11L; 120; 12R; 12L; 210; 21R; 21L; 220; 22R; 22L; 010; 020
2. Hexa: 110; 11R; 11L; 210; 21R; 21L; 010 cannot be linked with Hexa products: 120; 12R; 12L; 220; 22R; 22L; 020
3. Hexa phone booth

## Hexa 110



One-seater module with low backrest, no armrests. Based on a solid wooden structure. Legs made of circular tube available as a chromium plated model or painted in RAL colours according to the finishes list. Chromium-plated adjustable glides ( $\pm 10$  mm) as a standard feature.

**DIMENSIONS:** 610 x 810 mm  
**HEIGHT:** 870 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	578	605	664	–

## Hexa 11R



One-seater module with low backrest and right armrest. Based on a solid wooden structure. Legs made of circular tube available as a chromium plated model or painted in RAL colours according to the finishes list. Chromium-plated adjustable glides ( $\pm 10$  mm) as a standard feature.

**DIMENSIONS:** 690 x 810 mm  
**HEIGHT:** 870 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	733	782	868	–

## Hexa 11L



One-seater module with low backrest and left armrest. Based on a solid wooden structure. Legs made of circular tube available as a chromium plated model or painted in RAL colours according to the finishes list. Chromium-plated adjustable glides ( $\pm 10$  mm) as a standard feature.

**DIMENSIONS:** 690 x 810 mm  
**HEIGHT:** 870 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	733	782	868	–

## Hexa 112




One-seater module with low backrest and two armrests (free-standing). Based on a solid wooden structure. Legs made of circular tube available as a chromium plated model or painted in RAL colours according to the finishes list. Chromium-plated adjustable glides ( $\pm 10$  mm) as a standard feature.

**DIMENSIONS:** 770 x 810 mm  
**HEIGHT:** 870 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	889	959	1072	–

## Hexa 120




One-seater module with high backrest, no armrests. Based on a solid wooden structure. Legs made of circular tube available as a chromium plated model or painted in RAL colours according to the finishes list. Chromium-plated adjustable glides ( $\pm 10$  mm) as a standard feature.

**DIMENSIONS:** 610 x 810 mm  
**HEIGHT:** 1400 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	788	805	859	–

## Hexa 12R




One-seater module with high backrest and right armrest. Based on a solid wooden structure. Legs made of circular tube available as a chromium plated model or painted in RAL colours according to the finishes list. Chromium-plated adjustable glides ( $\pm 10$  mm) as a standard feature.

**DIMENSIONS:** 690 x 810 mm  
**HEIGHT:** 1400 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	1099	1159	1267	–

**Hexa 12L**




One-seater module with high backrest and left armrest. Based on a solid wooden structure. Legs made of circular tube available as a chromium plated model or painted in RAL colours according to the finishes list. Chromium-plated adjustable glides ( $\pm 10$ mm) as a standard feature.

**DIMENSIONS:** 690 x 810 mm  
**HEIGHT:** 1400 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	1099	1159	1267	–

**Hexa 122**




One-seater module with high backrest and two armrests (free-standing). Based on a solid wooden structure. Legs made of circular tube available as a chromium plated model or painted in RAL colours according to the finishes list. Chromium-plated adjustable glides ( $\pm 10$ mm) as a standard feature.

**DIMENSIONS:** 770 x 810 mm  
**HEIGHT:** 1400 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	1410	1513	1675	–

**Hexa 122E**




One-seater module with high backrest and two armrests (free-standing). Based on a solid wooden structure. Same as Hexa 122 module. Additionally equipped with electrical port mounting hole. Module to be combined with electrical port Netbox Point (ordered separately). Chromium-plated adjustable glides ( $\pm 10$ mm) as a standard feature.

**DIMENSIONS:** 770 x 810 mm  
**HEIGHT:** 1400 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	1410	1513	1675	–

**Hexa phone booth**




One-seater, free standing module with extra-high backrest, armrests and a roof top, providing total privacy from the surrounding environment. Based on a solid wooden structure. Legs made of circular tube available as a chromium plated model or painted in RAL colours according to the finishes list. Chromium-plated adjustable glides ( $\pm 10$ mm) as a standard feature.

**DIMENSIONS:** 770 x 810 mm  
**HEIGHT:** 1600 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	1733	1831	1993	–

**Hexa phone booth with electrical port**




One-seater, free standing module with extra-high backrest, armrests and a roof top, providing total privacy from the surrounding environment. Same as Hexa 1321 module. Additionally equipped with electrical port mounting hole. Module to be combined with electrical port Netbox Point (ordered separately). Chromium-plated adjustable glides ( $\pm 10$ mm) as a standard feature.

**DIMENSIONS:** 770 x 810 mm  
**HEIGHT:** 1600 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	1733	1831	1993	–


**Port Netbox Point**



Electrical port.  
Round electrical port A&H Meyer Point 3  
Ports, 1 power sockets + 1xRJ45 + 1xUSB.

Prix		
Ø 80 DE German standard (without pin)	Ø 80 FR French standard (with pin)	Ø 80 GB British standard
101	104	110

**Hexa 210**




Two-seater module with low backrest, no armrests. Based on a solid wooden structure. Legs made of circular tube available as a chromium plated model or painted in RAL colours according to the finishes list. Chromium-plated adjustable glides ( $\pm 10$  mm) as a standard feature.

**DIMENSIONS:** 1510 x 810 mm  
**HEIGHT:** 870 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	967	1021	1091	–

**Hexa 21R**




Two-seater module with low backrest and right armrest. Based on a solid wooden structure. Legs made of circular tube available as a chromium plated model or painted in RAL colours according to the finishes list. Chromium-plated adjustable glides ( $\pm 10$  mm) as a standard feature.

**DIMENSIONS:** 1590 x 810 mm  
**HEIGHT:** 870 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	1122	1198	1295	–

**Hexa 21L**




Two-seater module with low backrest and left armrest. Based on a solid wooden structure. Legs made of circular tube available as a chromium plated model or painted in RAL colours according to the finishes list. Chromium-plated adjustable glides ( $\pm 10$  mm) as a standard feature.

**DIMENSIONS:** 1590 x 810 mm  
**HEIGHT:** 870 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	1122	1198	1295	–

**Hexa 212**




Two-seater module with low backrest and two armrests (free-standing). Based on a solid wooden structure. Legs made of circular tube available as a chromium plated model or painted in RAL colours according to the finishes list. Chromium-plated adjustable glides ( $\pm 10$  mm) as a standard feature.

**DIMENSIONS:** 1670 x 810 mm  
**HEIGHT:** 870 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	1278	1375	1499	–

**Hexa 220**



Two-seater module with high backrest, no armrests. Based on a solid wooden structure. Legs made of circular tube available as a chromium plated model or painted in RAL colours according to the finishes list. Chromium-plated adjustable glides ( $\pm 10$ mm) as a standard feature.

**DIMENSIONS:** 1510 × 810 mm  
**HEIGHT:** 1400 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	1237	1301	1377	–

**Hexa 22R**



Two-seater module with high backrest and right armrest. Based on a solid wooden structure. Legs made of circular tube available as a chromium plated model or painted in RAL colours according to the finishes list. Chromium-plated adjustable glides ( $\pm 10$  mm) as a standard feature.

**DIMENSIONS:** 1590 × 810 mm  
**HEIGHT:** 1400 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	1548	1656	1785	–

**Hexa 22L**




Two-seater module with high backrest and left armrest. Based on a solid wooden structure. Legs made of circular tube available as a chromium plated model or painted in RAL colours according to the finishes list. Chromium-plated adjustable glides ( $\pm 10$  mm) as a standard feature.

**DIMENSIONS:** 1590 × 810 mm  
**HEIGHT:** 1400 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	1548	1656	1785	–

**Hexa 222**




Two-seater module with high backrest and two armrests (free-standing). Based on a solid wooden structure. Legs made of circular tube available as a chromium plated model or painted in RAL colours according to the finishes list. Chromium-plated adjustable glides ( $\pm 10$  mm) as a standard feature.

**DIMENSIONS:** 1670 × 810 mm  
**HEIGHT:** 1400 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	1859	2010	2193	–

**Hexa 222E**




The same as Hexa 222. Additionally equipped with electrical port mounting hole. Module to be combined with electrical port Netbox Point (ordered separately). Chromium-plated adjustable glides ( $\pm 10$  mm) as a standard feature.

**DIMENSIONS:** 1670 × 810 mm  
**HEIGHT:** 1400 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	1859	2010	2193	–

**Port Netbox Point**




Electrical port.  
Round electrical port A&H Meyer Point 3  
Ports, 1 power sockets + 1×RJ45 + 1×USB.

Prix		
Ø 80 DE German standard (without pin)	Ø 80 FR French standard (with pin)	Ø 80 GB British standard
101	104	110

**Hexa 010**

Low corner unit. Based on a solid wooden structure. Legs made of circular tube available as a chromium plated model or painted in RAL colours according to the finishes list. Chromium-plated glides available as a standard feature.




**DIMENSIONS:** 810 × 810 mm  
**HEIGHT:** 870 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	998	1061	1136	–

**Hexa 020**

High corner unit. Based on a solid wooden structure. Legs made of circular tube available as a chromium plated model or painted in RAL colours according to the finishes list. Chromium-plated glides available as a standard feature.




**DIMENSIONS:** 810 × 810 mm  
**HEIGHT:** 1400 mm  
**SEAT HEIGHT:** 460 mm

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	1369	1432	1659	–

**Hexa stool**

Stool based on a solid wooden structure. Base made of circular tube available as a chromium plated model or painted in RAL colours according to the finishes list. Black plastic glides available as a standard feature.



**DIMENSIONS:** 580 × 580 mm  
**HEIGHT:** 460 mm  
**SEAT SHAPE:** hexagon

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	319	335	351	–

**Hexa table 52**

Table made of chromium-plated metal frame (high gloss chrome). Top of the table made of melamine or laminate. Black plastic glides available as a standard feature.



**DIMENSIONS:** Ø 600 mm  
**HEIGHT:** 520 mm  
**TOP SHAPE:** hexagon

	melamine	laminate
chrome		
RAL colour: 7016, 9005, 9003	173	221

**Hexa table 72**

Table made of chromium-plated metal frame (high gloss chrome). Top of the table made of melamine or laminate. Black plastic glides available as a standard feature.




**DIMENSIONS:** Ø 600 mm  
**HEIGHT:** 720 mm  
**TOP SHAPE:** hexagon

	melamine	laminate
chrome		
RAL colour: 7016, 9005, 9003	184	232

To order a specific unit from the Hexa line, all Hexa elements need to be specified according to the example below:

name	unit code	frame	seat	lower backrest	lower right armrest	lower left armrest	upper backrest	upper right armrest	upper left armrest	glides
HEXA	eg. 112	CR	S-fabric code	BD-fabric code	RD-fabric code	LD-fabric code	BU-fabric code	RU-fabric code	LU-fabric code	GCR

Where a module is finished in a single upholstery colour, the additional references do not need to be used, e.g. HEXA 112 CR CUZ49 GCR.



Different colours can be used on an individual unit within the same range, however, different upholstery types is not permitted.

Where each component of a module is finished in a different upholstery colour, the code describing the specific component of the sofa must be added before each upholstery code, e.g.: HEXA 122 CR S-CUZ49 BD-CUZ47 RD-CUZ53 LD-CUZ38 BU-CUZ54 RU-CUZ02 LU-CUZ45 GCR.

Where in a module, e.g. HEXA 222, the bottom part of the sofa is one colour, and the top part a different colour, the name must have the following structure:  
 HEXA 222 CR S-BD-RD-LD-CUZ49 BU-RU-LU-CUZ 01 GCR.



Hexa Phone Booth is available with embroidery option. Embroidery can be fitted on the right (RU) or left (LU) side.

Colour of embroidery is suitable for colour of the frame/leg:

- Anthracite (RAL 7016)/ Chrome (CR) – GREY EMBROIDERY – TREAD 1814
- Black (RAL 9005) (BL) – BLACK EMBROIDERY – TREAD 1800
- White (RAL 9003) (BI) – WHITE EMBROIDERY – TREAD 1801

Embroidery is available without any charge.

Sample index of product with embroidery:

HEXA PHONE BOOTH CR XR046 GCR EMBROIDERY PHONE RIGHT (RU) (COLOR EMBROIDERY GREY - THREAD 1841)

HEXA PHONE BOOTH 9003 RAL XR046 GCR EMBROIDERY PHONE RIGHT (RU) + LEFT (LU) (COLOR EMBROIDERY WHITE - THREAD 1801)

# Hexa Wall


Meeting areas are important places in every office – the Hexa collaboration zone, built up from modular sofas and wall from Hexa line, is perfect solution. It is recommended for meeting places of small project groups, for the rapid exchange of information between team members.

It is available as the following modules: 2-seater, 4-seater and 6-seater. In the 4 – and 6-seater modules the table has the shape of a trapezoid, so it is more convenient to take a seat at the table. It is also the perfect place for a presentation or video conference,


thanks to a screen that can be hung on the wall and is easily connected to a laptop or a mobile device via a port in the desktop. Wiring to electrical outlets and the TV is aesthetically hidden inside the wall.

The Hexa collaboration zone has excellent acoustic properties (it insulates against sounds from the outside and reduces reverberation inside) and can be used to section-off space, eg. for work that requires concentration and focus.


## Hexa Wall configurations



2-seater unit



4-seater unit



6-seater unit

Each configuration can be complemented with table (with or without electric port).

## Mobile devices connecting

Mobile devices (laptop, tablet, smartphone) may be connected to the TV screen in two ways.

### 1. With a cable

AVP port is a solution which allows data transfer between the TV screen mounted on the wall and the media port in the tabletop. The connecting HDMI, VGA or audio cable (at choice) is laid inside the wall:

- connect HDMI cable to HDMI plug in your smartphone/tablet/laptop and to the port in the tabletop. Dependently on model, there might be necessity to use HDMI adapter.
- connect VGA cable to VGA plug in your laptop and to the port in the tabletop. At that time there will be transferred only screen without voice. To connect the audio option you need to connect audio cable.

### 2. Wireless

Apple devices might be connected via wireless, by Apple TV in use with AirPlay application.

Both devices must be connected to the same wireless network.

Mobile devices and cables are not included in the price, and are not available in our offer.

## TV handle

The TV handles which allow for fixing a TV screen to the Sand wall are designed for self-assembly with the use of screws.

### 1. Fixed handle

The handle is designed for fixing 17–37" screens and TVs with a maximum load capacity of 18 kg.

It is compatible with VESA:

- VESA 75 (hole distance 75 × 75 mm),
- VESA 100 (hole distance 100 × 100 mm),
- VESA 200 × 100 (hole distance 200 × 100 mm),
- VESA 200 (hole distance 200 × 200 mm).

### 2. Adjustable handle

The handle is designed for fixing 17–27" screens and TVs with a maximum load capacity of 7 kg.

Adjustment range:

- inclination angle + 50°/- 35°,
- trading range up to 180°
- minimum distance from the wall 85 mm,
- maximum distance from the wall 254 mm.

Pivot function.


It is compatible with VESA:

- VESA 75 (hole distance 75 × 75 mm),
- VESA 100 (hole distance 100 × 100 mm).

To order a specific unit from the Hexa line, all Hexa elements need to be specified according to the example below:

name	unit code	TV outlet	lower left	lower right	lower center	upper left	upper right	upper center
HEXA	WALL	TV	WLD	WRD	WCD	WLU	WRU	WCU

Where a module is finished in a single upholstery colour, the additional references do not need to be used, e.g: HEXA 112 CR CUZ49 GCR.



**Module coding:**


- WRU** - upper right
- WCU** - upper center
- WLU** - upper left
- WRD** - lower right
- WCD** - lower center
- WLD** - lower left

Different colours can be used on an individual unit within the same range, however, different upholstery types are not permitted.

When using different upholstery colours, the code describing the specific component of the sofa must be added before each upholstery code, e.g. HEXA WALL **WLD**-CUZ 02 **WRD**-CUZ 1L **WCD**-CUZ 28 **WLU**-CUZ 2A **WRU**-CUZ 1E **WCU**-CUZ 89.

When in Hexa Wall, the bottom part of the module is one colour, and the top part is in a different colour, the name must have the following structure:  
HEXA WALL **WLD - WRD - WCD**-CUZ49 **WLU - WRU - WCU**-CUZ 01.

**Hexa Wall**




Hexa Wall configurations are bulid up from high Hexa units and Hexa Wall. The configurations are available as the following modules: 2-seater, 4-seater and 6-seater. Based on a solid wooden structure. It is not equipped with legs - not a free-standing module

	1	2	3	4	5
	–	1598	1760	1868	–

**DIMENSIONS:** 2620 × 1400 mm  
**HEIGHT:** 1250 mm

**Hexa TV Wall**



Hexa Wall configurations are bulid up from high Hexa units and Hexa Wall. The configurations are available as the following modules: 2-seater, 4-seater and 6-seater. Based on a solid wooden structure. It is not equipped with legs - not a free-standing module. Dedicated to mount TV screen.

	1	2	3	4	5
	–	1598	1760	1868	–

**DIMENSIONS:** 2620 × 1400 mm  
**HEIGHT:** 1250 mm

**TV handle**

Handle to mount TV screen on Hexa Wall.

<b>NBC1-F</b>	
	59


**Adjustable TV handle**

Mounting TV handle excludes mounting the Netbox Point port in the wall.

**COLOUR:** black

<b>F120B</b>	
	167

**Hexa Wall 2-seater unit**




Configuration composed with Hexa 12L, Hexa Wall, Hexa 12R

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	3797	4078	4402	–

**DIMENSIONS:** 2620 × 690 mm  
**HEIGHT:** 1400 mm  
**SEAT HEIGHT:** 460 mm

**Hexa Wall 4-seater unit**




Configuration composed with: Hexa 22L, Hexa Wall, Hexa 22R

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	4694	5072	5438	–

**DIMENSIONS:** 2620 × 1670 mm  
**HEIGHT:** 1400 mm  
**SEAT HEIGHT:** 460 mm

**Hexa Wall 6-seater unit**



Configuration composed with: Hexa 22L, Hexa 120, Hexa Wall, Hexa 120, Hexa 22R

	1	2	3	4	5
chrome					
RAL colour: 7016, 9005, 9003	–	6270	6682	7156	–

**DIMENSIONS:** 2620 × 2280 mm  
**HEIGHT:** 1400 mm  
**SEAT HEIGHT:** 460 mm

# Tables


Table made of chromium-plated metal frame (high gloss chrome). Top of the table made of melamine or laminate. Audio-video port (2×220V, 2×RJ45, 1×HDMI, 1×VGA, 1×AUDIO, 1×USB)

mounted in tabletop is available as an option. Power cable for port and all audio-video cables are placed in tray hidden inside Hexa Wall. Chromium-plated adjustable glides (± 10 mm) available as

a standard feature. Chromium-plated metal frame as a standard, RAL colours according to finishes list are possible with no extra charge.

## Table 70 × 45

Dedicated to 2-seater unit




**DIMENSIONS:** 700 × 450 mm  
**HEIGHT:** 725 mm  
**TOP SHAPE:** rectangle

	melamine	laminat
without electric port	119	157
with EP port (white)	302	340

## Table 73 × 110

Dedicated to 4-seater unit




**DIMENSIONS:** 730 × 1100 mm  
**HEIGHT:** 725 mm  
**TOP SHAPE:** trapezoid

	melamine	laminat
without electric port	146	221
with EP port (white)	329	405
with AVP port (white)	427	502

## Table 73 × 160

Dedicated to 6-seater unit



**DIMENSIONS:** 730 × 1600 mm  
**HEIGHT:** 725 mm  
**TOP SHAPE:** trapezoid

	melamine	laminat
without electric port	162	292
with EP port (white)	346	475
with AVP port (white)	443	572

# LinkUP modular seating system

LinkUP line has been created to complement informal places in an office – the places where employees can relax and regenerate. The LinkUP line consists of two models – an armchair and


a chaise longue. Both models have a durable wooden structure. Carefully selected density and thickness of the foam provide comfort of use. The foam used in

products from the LinkUP line is fire retardant. Each model is equipped with black wooden glides.

It is also possible to equip each model with an electric port:

- PIX 1 × 230V in the standard:


- PIX 2 × USB charger with a plug in the standard:



For one model you can order only one electric port. The available location of the electric port is presented in the pictures below:

- LinkUP armchair

- LinkUP chaise longue



The chaise longue can be equipped with a cushion that increases comfort of use. The cushion consists of foam and upholstery fabric.



The LinkUP armchair and chaise longue are available in two types of upholstery – Blazer and Synergy. When configuring a product, it is necessary to define the seat (F1) and the seat sides (F2) upholstery colour, while in the case of the chaise longue – also the cushion upholstery colour (F3).

**Note:** it is not possible to combine two types of upholstery within one model.



	ARMCHAIR	CHAISE LONGUE
Height (mm)	700	730 (1010 with a cushion)
Maximum width (mm)	640	645
Length (mm)	910	1970

F1:___ F2:___	Finishing: Armchair/Chaise Longue		
	Price group 4	685,-	1 175,-
PATTERN:	3D stitching		
None	None	•	•
01	Pattern 01	+ 25,-	+ 25,-
P:	Media port		
0	None	•	•
__1-1E-CZ-__2	Port PIX 1×230V	+ 50,-	+ 50,-
__1-2U-CZ-__2	Port PIX 2×USB	+ 80,-	+ 80,-
CUSHION:	Cushion		
NO	Chaise Longue without a cushion		•
YES	Chaise Longue with a cushion		+ 103,-
F3:___	Finishing: Cushion		
	Price group 4		•

<sup>1</sup> Location of media ports as presented on p. 30

<sup>2</sup> Standard of media ports as presented on p. 30

• Available as standard - without extra charge.

**Sample order**


LINKUP ARMCHAIR (F1:LDS45 F2:LDS45 PATTERN:NONE P:A-2U-CZ-FR)

LINKUP CHAISE LONGUE (F1:LDS56 F2:LDS55 PATTERN:01 P:A-1E-CZ-FR CUSHION:NO)

LINKUP CHAISE LONGUE (F1:LDS56 F2:LDS55 PATTERN:01 P:B-1E-CZ-FR CUSHION:YES F3:LDS55)

It is possible to use upholstery with stitching on the upper seat surface in both models from the LinkUP line, which gives an aesthetically

pleasing 3D effect. The following pattern is available in the offer:



# Magnes II seating system

The Magnes II is a modular seating system perfect for use in public spaces. The system's flexibility offers free arrangement and many different combinations. Magnes II is a perfect solution for interiors of many different types and sizes.

The system is made up of 17 components functioning as seats, linking modules and small tables. Seat frame and sides, also serving as armrests, are made of 18 mm fine chipboard class E1, melamine double-coated. Seats can be upholstered with fabrics dedicated for sofas, from groups: 2-5. All modules of the Magnes II system are available with adjustable glides as a standard feature. System components can be linked with special furniture connectors allowing easy disassembly and rearrangement of the set without causing damage to chipboard.

**When composing series of modules please pay attention to a few important rules:**

> **Magnes II 103** and **Magnes II 203** – those components are dedicated purely as “closing elements” of an arrangement. They are not independent components and should always be linked with other modules by means of furniture connectors.


> **Magnes II 490 W; Magnes II 490 Z; Magnes II 450, Magnes II 580 ZD** – those components work exclusively as linking modules. They are not independent components and should always be linked with other modules by means of furniture connectors.

> **Magnes II 450** – it cannot be used as the last component in a row of modules (the so called “closing element” of an arrangement).

> **Magnes II 600** and **Magnes II 601** – these are not independent components and should always be linked with other modules by means of furniture connectors. Those components also cannot work as final components in a row of modules (“closing elements” of an arrangement). Also, they should not be arranged next to one another or linked with the following modules (writing tablet collides with side of module): **Magnes II 111, Magnes II 211.**

> It is not allowed to make arrangements in which **Magnes II 600** or **Magnes II 601** modules are added on both sides of **Magnes II 490 Z** module (collision of 2 writing tablets).

## Magnes II 100




1-seater module with upholstered seat. Side elements are made of 18 mm fine chipboard class E1, melamine double-coated. It has the ability to connect to other elements of the Magnes II line.  
*Height adjustable feet (adjustment range ± 7 mm) as a standard feature*

Price group	2	3	4	5
chipboard colours: CC, BI	191	202	207	226

**EXTERNAL DIMENSIONS:** 670 × 500 mm  
**HEIGHT/SEAT HEIGHT:** 440 mm

## Magnes II 103




1-seater module with upholstered seat and a cushion fixed to one side. Side elements are made of 18 mm fine chipboard class E1, melamine double-coated. Seat and cushion can be upholstered in a variety of colours. Check the possibility of connections in the technical specifications.  
*Height adjustable feet (adjustment range ± 7 mm) as a standard feature*

Price group	2	3	4	5
chipboard colours: CC, BI	240	251	277	307

**EXTERNAL DIMENSIONS:** 850 × 500 mm  
**HEIGHT/SEAT HEIGHT:** 440 mm

## Magnes II 200




2-seater module with upholstered seat. Side elements are made of 18 mm fine chipboard class E1, melamine double-coated. It has the ability to connect to other elements of the Magnes II line.  
*Height adjustable feet (adjustment range ± 7 mm) as a standard feature*

Price group	2	3	4	5
chipboard colours: CC, BI	258	277	287	324

**DIMENSIONS:** 1330 × 500 mm  
**HEIGHT/SEAT HEIGHT:** 440 mm

**Magnes II 203**



2-seater module with upholstered seat and a cushion fixed to one side. Side elements are made of 18 mm fine chipboard class E1, melamine double-coated. Seat and cushion can be upholstered in a variety of colours. Check the possibility of connections in the technical specifications.

*Height adjustable feet (adjustment range ± 7 mm) as a standard feature*

**EXTERNAL DIMENSIONS:** 1520 × 500 mm  
**HEIGHT/SEAT HEIGHT:** 440 mm

Price group	2	3	4	5
chipboard colours: CC, BI	293	315	350	394

**Magnes II 101**




1-seater module with backrest, upholstered seat and back. Side elements are made of 18 mm fine chipboard class E1, melamine double-coated. It has the ability to connect to other elements of the Magnes II line.

*Height adjustable feet (adjustment range ± 7 mm) as a standard feature*

**EXTERNAL DIMENSIONS:** 670 × 760 mm  
**HEIGHT:** 780 mm  
**SEAT HEIGHT:** 440 mm

Price group	2	3	4	5
chipboard colours: CC, BI	419	448	464	487

**Magnes II 201**




2-seater module with backrest, upholstered seat and back. Side elements, are made of 18 mm fine chipboard class E1, melamine double-coated. It has the ability to connect to other elements of the Magnes II line.

*Height adjustable feet (adjustment range ± 7 mm) as a standard feature*

**EXTERNAL DIMENSIONS:** 1330 × 760 mm  
**HEIGHT:** 780 mm  
**SEAT HEIGHT:** 440 mm

Price group	2	3	4	5
chipboard colours: CC, BI	520	566	586	635

**Magnes II 111**




1-seater module with backrest and armrests upholstered seat and back. Side elements are made of 18 mm fine chipboard class E1, melamine double-coated. It has the ability to connect to other elements of the Magnes II line.

*Height adjustable feet (adjustment range ± 7 mm) as a standard feature*

**EXTERNAL DIMENSIONS:** 670 × 810 mm  
**HEIGHT:** 780 mm  
**SEAT HEIGHT:** 440 mm

Price group	2	3	4	5
chipboard colours: CC, BI	445	477	492	517

**Magnes II 211**




2-seater module with backrest and armrests, upholstered seat and back. Side elements are made of 18 mm fine chipboard class E1, melamine double-coated. It has the ability to connect to other elements of the Magnes II line.

*Height adjustable feet (adjustment range ± 7 mm) as a standard feature*

**EXTERNAL DIMENSIONS:** 1330 × 810 mm  
**HEIGHT:** 780 mm  
**SEAT HEIGHT:** 440 mm

Price group	2	3	4	5
chipboard colours: CC, BI	551	600	621	672

**Magnes II 501**




Double-sided 2-seater module with upholstered seat and back. Side elements are made of 18 mm fine chipboard class E1, melamine double-coated. It has the ability to connect to other elements of the Magnes II line.

*Height adjustable feet (adjustment range ± 7 mm) as a standard feature*

**EXTERNAL DIMENSIONS:** 670 × 1260 mm  
**HEIGHT:** 780 mm  
**SEAT HEIGHT:** 440 mm

Price group	2	3	4	5
chipboard colours: CC, BI	594	640	690	722


**Magnes II 502**

Double-sided 4-seater module with upholstered seat and back. Side elements are made of 18 mm fine chipboard class E1, melamine double-coated. It has the ability to connect to other elements of the Magnes II line.

*Height adjustable feet (adjustment range ± 7 mm) as a standard feature*

**EXTERNAL DIMENSIONS:** 1330 × 1260 mm  
**HEIGHT:** 780 mm  
**SEAT HEIGHT:** 440 mm

Price group	2	3	4	5
chipboard colours: CC, BI	727	793	845	931

**Magnes II 450**

External linking module with an angle of 45° and upholstered seat. Side elements are made of 18 mm fine chipboard class E1, melamine double-coated. Check the possibility of connections in the technical specifications.

*Height adjustable feet (adjustment range ± 7 mm) as a standard feature*

**EXTERNAL DIMENSIONS:** 610 × 500 mm  
**HEIGHT/SEAT HEIGHT:** 440 mm

Price group	2	3	4	5
chipboard colours: CC, BI	202	213	226	247


**Magnes II 490 W**

Internal linking module with an angle of 90° and upholstered seat. Side elements are made of 18 mm fine chipboard class E1, melamine double-coated. Check the possibility of connections in the technical specifications.

*Height adjustable feet (adjustment range ± 7 mm) as a standard feature*

**EXTERNAL DIMENSIONS:** 820 × 500 mm  
**HEIGHT/SEAT HEIGHT:** 440 mm

Price group	2	3	4	5
chipboard colours: CC, BI	265	288	311	334


**Magnes II 490 Z**

External linking module with an angle of 90° and upholstered seat. Side elements are made of 18 mm fine chipboard class E1, melamine double-coated. Check the possibility of connections in the technical specifications.

*Height adjustable feet (adjustment range ± 7 mm) as a standard feature*

**EXTERNAL DIMENSIONS:** 570 × 500 mm  
**HEIGHT/SEAT HEIGHT:** 440 mm

Price group	2	3	4	5
chipboard colours: CC, BI	251	267	291	308

**Magnes II 580 ZD**


External linking module with an angle of 180° and upholstered seat. Side elements are made of 18 mm fine chipboard class E1, melamine double-coated. Check the possibility of connections in the technical specifications.

*Height adjustable feet (adjustment range ± 7 mm) as a standard feature*

**EXTERNAL DIMENSIONS:** 1260 × 500 mm  
**HEIGHT/SEAT HEIGHT:** 440 mm

Price group	2	3	4	5
chipboard colours: CC, BI	373	400	442	465

**Magnes II 600**




Linking module with upholstered structure and a writing tablet. Side elements are made of 18 mm fine chipboard class E1, melamine double-coated. Writing tablet column is high gloss chrome plated; the writing tablet is made of plywood lacquered in colours 3.0A8 (white) or 3.097 (black).

*Height adjustable feet (adjustment range ± 7 mm) as a standard feature*

**EXTERNAL DIMENSIONS:** 220 × 500 mm  
**MODULE HEIGHT:** 440 mm  
**WRITING TABLET HEIGHT:** 710 mm  
**WRITING TABLET DIMENSIONS:** 280 × 545 mm

Price group	2	3	4	5
chipboard colours: CC, BI	280	288	298	317

**Magnes II 601**




Linking module with upholstered structure, writing tablet and multimedia sockets. Side elements are made of chipboard laminated on both sides, with plastic edge finish. Writing tablet column is high gloss chrome plated; the writing tablet is made of plywood lacquered in colours 3.0A8 (white) or 3.097 (black). Check the possibility of connections and available multimedia socket in the technical specifications.

*Height adjustable feet (adjustment range ± 7 mm) as a standard feature*

**EXTERNAL DIMENSIONS:** 220 × 500 mm  
**MODULE HEIGHT:** 440 mm  
**WRITING TABLET HEIGHT:** 710 mm  
**WRITING TABLET DIMENSIONS:** 280 × 545 mm

Price group	type of socket	2	3	4	5
chipboard colours: CC, BI	EU/1RJ45	410	418	434	446
chipboard colours: CC, BI	USA/1RJ45	470	479	495	508
chipboard colours: CC, BI	CH13/1RJ45	434	441	458	469
chipboard colours: CC, BI	BEK/1RJ45	413	420	437	449
chipboard colours: CC, BI	GB-Y/1RJ45	422	430	446	460
chipboard colours: CC, BI	2 × 1RJ45	463	470	487	501
chipboard colours: CC, BI	2 × EU	343	351	368	380
chipboard colours: CC, BI	2 × USA	411	419	435	447
chipboard colours: CC, BI	2 × CH13	375	382	399	413
chipboard colours: CC, BI	2 × BEK	350	357	379	386
chipboard colours: CC, BI	2 × GB-Y	360	370	384	398

**Magnes II 300**




Small mobile table made of chrome plated (high gloss) or painted in white (RAL 9003) or black (RAL 9005) metal frame. The desktop of the small table is made of plywood and lacquered in colours: 3.0A8 (white) or 3.097 (black).

**DIMENSIONS:** 410 × 330 mm  
**WRITING TABLET HEIGHT:** 536 mm


	lacquered plywood 3.0A8, 3.097
chrome	142
white (RAL 9003)	132
black (RAL 9005)	132

## EU/1RJ45




standard	technical information		cable length [m]	
	"Meyer" electrical port	power supply plug	electrical	network
European	NETBOX MEB2 SCHUKO/SYS 1xSchuko/1RJ45 Cat. 5 shielded	SCHUKO/BE	2.2	2.7

## USA/1RJ45




standard	technical information		cable length [m]	
	"Meyer" electrical port	power supply plug	electrical	network
American	NETBOX MEB2 USA/SYS 2.5 mm <sup>2</sup> 1xUSA/1RJ45 Cat. 5 shielded	USA	2.2	2.7

## CH13/1RJ45




standard	technical information		cable length [m]	
	"Meyer" electrical port	power supply plug	electrical	network
Swiss	NETBOX MEB2 CH13/SYS 1xCH13/1RJ45 Cat. 5 shielded	CH	2.2	2.7

## BEK/1RJ45




standard	technical information		cable length [m]	
	"Meyer" electrical port	power supply plug	electrical	network
French/Belgian	NETBOX MEB2 BEK/SYS 1xBEK/1RJ45 Cat. 5 shielded	SCHUKO/BE	2.2	2.7

## GB-Y/1RJ45




standard	technical information		cable length [m]	
	"Meyer" electrical port	power supply plug	electrical	network
British	NETBOX MEB2 GB-Y 3.15 Amp./SYS 1xGB-Y/1RJ45 Cat. 5 shielded	GB	2.2	2.7

## 2 × 1RJ45




standard	technical information		cable length [m]	
	"Meyer" electrical port	power supply plug	electrical	network
universal	NETBOX MEB2 SYS 1RJ45 Cat. 5/1RJ45 Cat. 5 shielded			2.7

## 2xEU




standard	technical information		cable length [m]	
	"Meyer" electrical port	power supply plug	electrical	network
European	NETBOX MEB2 SCHUKO 2xSchuko	SCHUKO/BE	2.2	

## 2xUSA




standard	technical information		cable length [m]	
	"Meyer" electrical port	power supply plug	electrical	network
American	NETBOX MEB2 USA 2.5 mm <sup>2</sup> 2xUSA	USA	2.2	

**2xCH13**




standard	technical information		cable length [m]	
	"Meyer" electrical port	power supply plug	electrical	network
Swiss	NETBOX MEB2 CH13 2xCH13	CH	2.2	

**2xBEK**



standard	technical information		cable length [m]	
	"Meyer" electrical port	power supply plug	electrical	network
French/Belgian	NETBOX MEB2 BEK 2xBEK	SCHUKO/BE	2.2	

**2xGB-Y**




standard	technical information		cable length [m]	
	"Meyer" electrical port	power supply plug	electrical	network
British	NETBOX MEB2 GB-Y 3.15 Amp. 2xGB-Y 3.15 Amp. Fuse	GB	2.2	

**Countries in which apply individual types of socket.**


**EU (SCHUKO)**

Germany, Austria, Italy, Netherlands, Iceland, Finland, Sweden, Russia, Estonia, Latvia, Lithuania, Luxemburg, Romania, Hungary, Portugal, Spain, Greece, Turkey, Bulgaria, Macedonia, Serbia, Montenegro, Slovenia, Bosnia and Herzegovina, Croatia, Iran, Afghanistan, Jordan, Saudi Arabia, Albania, Belarus, Denmark



**USA**

United States, Philippines, Japan




**CH**

Switzerland




**BEK**

France, Belgium, Turkey, Czech Republic, Poland



**GB-Y**

Ireland, Malta, Cyprus, England, Bahrain, Iraq, Jordan, Kuwait, Liban, Oman, Yemen, United Arab Emirates, Saudi Arabia, Qatar



# Sand

Sand is a system of space-dividing upholstered walls. Thanks to their diversity, the models from the Sand line allow for furnishing many different zones in an office space.

The line comprises a few basic models of various




dimensions that aid in creating diverse and functional arrangements adjusted to the needs of a particular office.

## 1. Walls

The 150 mm thick Sand wall is made of chipboard covered with hardly flammable polyurethane foam of 35 kg/m<sup>3</sup> density and an upholstery fabric.

The wall cover is made of 18 mm thick melamine faced chipboard.

The Sand walls can be integrated with high tables or upholstered benches in the arrangements with low tables.



- 1 Cover - melamine faced chipboard 18 mm
- 2 Levels (3, 4 or 5)


- 1 Sand wall
- 2 Sand high table with a chipboard leg
- 3 Sand bench, left and right
- 4 Sand low table with a metal leg

## 2. Benches

The bench carcass is made of plywood and 18 mm thick chipboard. The benches are covered with hardly flammable polyurethane foam of 35 kg/m<sup>3</sup> density and an upholstery fabric made of natural wool. The bench sides are made of melamine faced chipboard.

## 3. Low table with a metal leg

The Sand table top with a metal leg is made of 25 mm thick melamine faced chipboard. The metal leg with a 70 × 70 mm square diameter is powder-coated in 3 colours (WHITE, ALU and BLACK).



- 1 Bench side - 18 mm thick chipboard
- 2 Bench seat and backrest - upholstered

- 3 Metal leg with a 70 × 70 mm
- 4 Table top made of 25 mm thick melamine faced chipboard

#### 4. High table with a chipboard leg

The Sand table top with a chipboard leg is made of 50 mm thick laminated cellular board; the leg is made of 50 mm thick melamine faced chipboard.



- 1** Table top made of 50 mm thick laminated cellular board
- 2** 50 mm thick chipboard leg
- 3** Levelling feet

#### 5. Accessories

##### 5.1 TV handle

The TV handles which allow for fixing a TV screen to the Sand wall are designed for self-assembly with the use of screws.

##### Fixed handle

The handle is designed for fixing 17–37" screens and TVs with a maximum load capacity of 18 kg.

It is compatible with VESA:

- VESA 75 (hole distance 75 × 75 mm),
- VESA 100 (hole distance 100 × 100 mm),
- VESA 200 × 100 (hole distance 200 × 100 mm),
- VESA 200 (hole distance 200 × 200 mm).

##### 4.2 Electric ports

##### AH Meyer Netbox Point

Round electric port Netbox Point, 3 points: 1 × power point, 1 × Rj45, 1 × USB, in the French, German and British standard.

#### 5. Pouffes

The pouffes are made of expanded polystyrene and a carcass made of 25 mm thick chipboard covered with foam and upholstery. The pouffes are available as mobile versions (with castors) and stationary versions (with feet).

#### 6. Reception walls

The 150 mm thick Sand reception wall is made of chipboard covered with hardly flammable polyurethane foam of 35 kg/m<sup>3</sup> density and an upholstery fabric. The wall cover is made of 18 mm thick melamine faced chipboard. The walls can be complemented with any desks from the Nowy Styl Group's offer.

##### Adjustable handle

The handle is designed for fixing 17–27" screens and TVs with a maximum load capacity of 7 kg.

Adjustment range:

- inclination angle +50°/-35°,
- trading range up to 180°
- minimum distance from the wall 85 mm,
- maximum distance from the wall 254 mm.

Pivot function.

It is compatible with VESA:

- VESA 75 (hole distance 75 × 75 mm),
- VESA 100 (hole distance 100 × 100 mm).



##### AH Meyer Netbox Turn Comfort

Electric port Netbox Turn Comfort, 4 points: 2 × power point, 2 × Rj45, in the French, German and British standard.

# Sand – how to order

When creating a name of a Sand model, you have to give information about its features according to the table below. To make it easier, next to each model in the pricelist there is a ready-to-use name with empty fields that need to be completed

according to a given legend. Particular modules or equipment of particular modules are separated with the "/" symbol. Modules are numbered from left to right.

Technical drawing	Name	Price group 4
 	<b>SAND W04-1</b> <b>WALL:</b> 5/4, H/L, ① ①, ② ② ② ② ②, ③. <b>BENCH:</b> 0/2, 0/④, 0/⑤, <b>TABLE:</b> H/L, ⑥ ⑥, ⑦ ⑦, ⑧ ⑧	11930

- ① Media
- ④ Bench upholstery type and colour
- ⑦ Table top colour
- ② Upholstery type and colour (wall)
- ⑤ Bench finish colour
- ⑧ Table base colour
- ③ Wall cover colour
- ⑥ Type and orientation of an electric port in a table




**SAND W04-1 WALL: 5/4, H/L, AHMT.3EU/AHMT.3EU, CUZ1E|CUZ1P|CUZ1P|CUZ1P|CUZ1L, NB,**  
**BENCH: 0/2, 0/CUZ1E, 0/BI**  
**TABLE: H/L, AHMPEU/AHMPEU, CA/BI, BI/BI**

SAMPLE SAND WALL CONFIGURATION						
	model version	number of levels (counting from the bottom)	integration with a table	electric port/screen handle	colours	wall cover colour
Available options			L - low H - high	0 - without a port AHMT.3FR AHMT.3EU AHMT.3GB TV.S TV.R	colours of particular levels including the upholstery type	colour from the available palette of finishes
Component name	<b>W16-2</b>	<b>WALL: 4/5</b>	L/H	<b>AHMT.3EU/AHMT.3EU</b>	<b>CUZ28 CUZ28  CUZ28 CUZ1P CUZ1L</b>	<b>NB</b>
Full name (notation) of a module	<b>SAND W16-2 WALL: 4/5, L/H, AHMT.3EU/AHMT.3EU, CUZ28 CUZ28 CUZ28 CUZ1P CUZ1L, NB</b>					

SAMPLE BENCH CONFIGURATION			
	number of benches	upholstery	finish upholstery
Available versions		upholstery type and colour	colour from the available palette of finishes
Component name	<b>2/0</b>	<b>CUZ1E/0</b>	<b>BI/0</b>
Full name (notation) of a module	<b>BENCH: 2/0, CUZ1E/0, BI/0</b>		

SAMPLE TABLE CONFIGURATION					
	table type	electric port type	port orientation	table top colour	base colour (low table)
Available versions	L - low H - high	0 - without a port AHMPFR AHMPEU AHMPGB AHMT.3FR AHMT.3EU AHMT.3GB	P - perpendicular to the wall R - parallel to the wall	colour from the available palette of finishes	colour from the available palette of finishes
Component name	<b>L</b>	<b>AHMT.3GB</b>	<b>P</b>	<b>BI</b>	<b>BI</b>
Full name (notation) of a module	<b>TABLE: L, AHMT.3GB-P, BI, BI</b>				


Technical drawing	Name	Price group 4
-------------------	------	---------------



**SAND W01-0**  
**WALL:** 5, 0, 0, ②|②|②|②|②, ③

**HEIGHT:** 2000 mm (5 levels)  
**WIDTH:** 2340 mm  
**DEPTH:** 1700 mm


3650



**SAND W01-1**  
**WALL:** 5, H, ①, ②|②|②|②|②, ③.  
**TABLE:** H, ⑥, ⑦, ⑧

**HEIGHT:** 2000 mm (5 levels)  
**WIDTH:** 2340 mm  
**DEPTH:** 1700 mm


4840



**SAND W02-0**  
**WALL:** 5, 0, 0, ②|②|②|②|②, ③

**HEIGHT:** 2000 mm (5 levels)  
**WIDTH:** 2340 mm  
**DEPTH:** 1700 mm

3650








**SAND W02-1**  
**WALL:** 5, H, ①, ②|②|②|②|②, ③.  
**TABLE:** H, ⑥, ⑦, ⑧

**HEIGHT:** 2000 mm (5 levels)  
**WIDTH:** 2340 mm  
**DEPTH:** 1700 mm

4840






- ① Media
- ② Upholstery type and colour (wall)
- ③ Wall cover colour
- ④ Bench upholstery type and colour

- ⑤ Bench finish colour
- ⑥ Type and orientation of electrical port
- ⑦ Table top colour
- ⑧ Table base colour

Technical drawing	Name	Price group 4
	<p><b>SAND W03-0</b>  <b>WALL:</b> 4, 0, 0, 2 2 2 2, 3  <b>HEIGHT:</b> 1600 mm (4 levels)  <b>WIDTH:</b> 2350 mm  <b>DEPTH:</b> 1700 mm</p>	<p>4060</p>
	<p><b>SAND W03-1</b>  <b>WALL:</b> 4, L, 1, 2 2 2 2, 3  <b>BENCH:</b> 2, 4, 5  <b>TABLE:</b> L, 6, 7, 8  <b>HEIGHT:</b> 1600 mm (4 levels)  <b>WIDTH:</b> 2350 mm  <b>DEPTH:</b> 1700 mm</p>	<p>6880</p>
	<p><b>SAND W03-2</b>  <b>WALL:</b> 5, L(H), 1(1), 2 2 2 2 2, 3  <b>BENCH:</b> 2(0), 4, 5  <b>TABLE:</b> L, 6, 7, 8(H, 6, 7, 8)  <b>HEIGHT:</b> 2000 mm (5 levels)  <b>WIDTH:</b> 2350 mm  <b>DEPTH:</b> 1700 mm</p>	<p>9085</p>
	<p><b>SAND W04-0</b>  <b>WALL:</b> 5/4, 0/0, 0/0, 2 2 2 2 2, 3  <b>HEIGHT:</b> 2000/1600 mm (5/4 level)  <b>WIDTH:</b> 2350 mm  <b>DEPTH:</b> 3250 mm</p>	<p>5930</p>
	<p><b>SAND W04-1</b>  <b>WALL:</b> 5/4, H/L, 1/1, 2 2 2 2 2, 3  <b>BENCH:</b> 0/2, 0/4, 0/5  <b>TABLE:</b> H/L, 6/6, 7/7, 8/8  <b>HEIGHT:</b> 2000/1600 mm (5/4 level)  <b>WIDTH:</b> 2350 mm  <b>DEPTH:</b> 3250 mm</p>	<p>9940</p>

- 1 Media
- 2 Upholstery type and colour (wall)
- 3 Wall cover colour
- 4 Bench upholstery type and colour


- 5 Bench finish colour
- 6 Type and orientation of electrical port
- 7 Table top colour
- 8 Table base colour

Technical drawing	Name	Price group 4
	<p><b>SAND W05-0</b>  <b>WALL:</b> 4/5, 0/0, 0/0, <b>2 2 2 2 2 2, 3</b></p> <p><b>HEIGHT:</b> 1600/2000 mm (4/5 levels)  <b>WIDTH:</b> 2 350 mm  <b>DEPTH:</b> 3 250 mm</p>	<p>5930</p>
	<p><b>SAND W05-1</b>  <b>WALL:</b> 4/5, L/H, <b>1 1, 2 2 2 2 2, 3</b>,  <b>BENCH:</b> 2/0, <b>4 0, 5 0</b>,  <b>TABLE:</b> L/H, <b>6 6, 7 7, 8 8</b></p> <p><b>HEIGHT:</b> 1600/2000 mm (4/5 levels)  <b>WIDTH:</b> 2 350 mm  <b>DEPTH:</b> 3 250 mm</p>	<p>9940</p>
	<p><b>SAND W06-0</b>  <b>WALL:</b> 4/4, 0/0, 0/0, <b>2 2 2 2, 3</b></p> <p><b>HEIGHT:</b> 1600 mm (4 levels)  <b>WIDTH:</b> 2 350 mm  <b>DEPTH:</b> 3 250 mm</p>	<p>6340</p>
	<p><b>SAND W06-1</b>  <b>WALL:</b> 4/4, L/L, <b>1 1, 2 2 2 2 2, 3</b>,  <b>BENCH:</b> 2/2, <b>4 4, 5 5</b>,  <b>TABLE:</b> L/L, <b>6 6, 7 7, 8 8</b></p> <p><b>HEIGHT:</b> 1600 mm (4 levels)  <b>WIDTH:</b> 2 350 mm  <b>DEPTH:</b> 3 250 mm</p>	<p>11980</p>
	<p><b>SAND W06-2</b>  <b>WALL:</b> 5/5, H/L, <b>1 1, 2 2 2 2 2, 3</b>,  <b>BENCH:</b> 0/2, 0/4, 0/5,  <b>TABLE:</b> H/L, <b>6 6, 7 7, 8 8</b></p> <p><b>HEIGHT:</b> 2 000 mm (5 levels)  <b>WIDTH:</b> 2 350 mm  <b>DEPTH:</b> 3 250 mm</p>	<p>11935</p>

- 1 Media
- 2 Upholstery type and colour (wall)
- 3 Wall cover colour
- 4 Bench upholstery type and colour


- 5 Bench finish colour
- 6 Type and orientation of electrical port
- 7 Table top colour
- 8 Table base colour

Technical drawing	Name	Price group 4
-------------------	------	---------------




**SAND W07-0**  
**WALL:** 5/5, 0/0, 0/0, ②|②|②|②|②, ③  
**HEIGHT:** 2000 mm (5 levels)  
**WIDTH:** 4280 mm  
**DEPTH:** 1700 mm

5875




**SAND W07-1**  
**WALL:** 5/5, H/H, ①|①, ②|②|②|②|②, ③  
**TABLE:** H/H, ⑥|⑥, ⑦|⑦, ⑧|⑧  
**HEIGHT:** 2000 mm (5 levels)  
**WIDTH:** 4280 mm  
**DEPTH:** 1700 mm

8255



**SAND W08-0**  
**WALL:** 5/5, 0/0, 0/0, ②|②|②|②|②, ③  
**HEIGHT:** 2000 mm (5 levels)  
**WIDTH:** 4280 mm  
**DEPTH:** 1700 mm

5875




**SAND W08-1**  
**WALL:** 5/5, H/H, ①|①, ②|②|②|②|②, ③  
**TABLE:** H/H, ⑥|⑥, ⑦|⑦, ⑧|⑧  
**HEIGHT:** 2000 mm (5 levels)  
**WIDTH:** 4280 mm  
**DEPTH:** 1700 mm

8255

- ① Media
- ② Upholstery type and colour (wall)
- ③ Wall cover colour
- ④ Bench upholstery type and colour


- ⑤ Bench finish colour
- ⑥ Type and orientation of electrical port
- ⑦ Table top colour
- ⑧ Table base colour

Technical drawing	Name	Price group 4
-------------------	------	---------------




**SAND W09-0**  
**WALL:** 5/5, 0/0, 0/0, ②|②|②|②|②, ③  
**HEIGHT:** 2 000 mm (5 levels)  
**WIDTH:** 4 420 mm  
**DEPTH:** 1 700 mm

7 300




**SAND W09-1**  
**WALL:** 5/5, H/L, ①|①, ②|②|②|②|②, ③  
**BENCH:** 0/2, 0/④, 0/⑤  
**TABLE:** H/L, ⑥|⑥, ⑦|⑦, ⑧|⑧  
**HEIGHT:** 2 000 mm (5 levels)  
**WIDTH:** 4 420 mm  
**DEPTH:** 1 700 mm

11 310



**SAND W10-0**  
**WALL:** 5/5, 0/0, 0/0, ②|②|②|②|②, ③  
**HEIGHT:** 2 000 mm (5 levels)  
**WIDTH:** 4 420 mm  
**DEPTH:** 1 700 mm

7 300




**SAND W10-1**  
**WALL:** 5/5, H/L, ①|①, ②|②|②|②|②, ③  
**BENCH:** 0/2, 0/④, 0/⑤  
**TABLE:** H/L, ⑥|⑥, ⑦|⑦, ⑧|⑧  
**HEIGHT:** 2 000 mm (5 levels)  
**WIDTH:** 4 420 mm  
**DEPTH:** 1 700 mm

11 310

- ① Media
- ② Upholstery type and colour (wall)
- ③ Wall cover colour
- ④ Bench upholstery type and colour


- ⑤ Bench finish colour
- ⑥ Type and orientation of electrical port
- ⑦ Table top colour
- ⑧ Table base colour

Technical drawing	Name	Price group 4
-------------------	------	---------------




**SAND W11-0**  
**WALL:** 4/4, 0/0, ②|②|②|②, ③  
**HEIGHT:** 1600 mm (4 levels)  
**WIDTH:** 4550 mm  
**DEPTH:** 1700 mm

6980




**SAND W11-1**  
**WALL:** 5/5, L/H, ①|①, ②|②|②|②, ③.  
**BENCH:** 2/0, ④/0, ⑤/0,  
**TABLE:** L/H, ⑥/⑥, ⑦/⑦, ⑧/⑧  
**HEIGHT:** 2000 mm (5 levels)  
**WIDTH:** 4550 mm  
**DEPTH:** 1700 mm

12735



**SAND W11-2**  
**WALL:** 5/5, H/H, ①|①, ②|②|②|②, ③.  
**TABLE:** H/H, ⑥/⑥, ⑦/⑦, ⑧/⑧  
**HEIGHT:** 2000 mm (5 levels)  
**WIDTH:** 4550 mm  
**DEPTH:** 1700 mm

11105




**SAND W11-3**  
**WALL:** 4/4, L/L, ①|①, ②|②|②|②, ③.  
**BENCH:** 2/2, ④/④, ⑤/⑤,  
**TABLE:** L/L, ⑥/⑥, ⑦/⑦, ⑧/⑧  
**HEIGHT:** 1600 mm (4 levels)  
**WIDTH:** 4550 mm  
**DEPTH:** 1700 mm

12620

- ① Media
- ② Upholstery type and colour (wall)
- ③ Wall cover colour
- ④ Bench upholstery type and colour


- ⑤ Bench finish colour
- ⑥ Type and orientation of electrical port
- ⑦ Table top colour
- ⑧ Table base colour

Technical drawing	Name	Price group 4
-------------------	------	---------------




**SAND W12-0**  
**WALL:** 4/4, 0/0, 0/0, ②|②|②|②, ③  
**HEIGHT:** 1600 mm (4 levels)  
**WIDTH:** 4550 mm  
**DEPTH:** 1700 mm

6 980




**SAND W12-1**  
**WALL:** 5/5, L/H, ①|①, ②|②|②|②, ③.  
**BENCH:** 2/0, ④|0, ⑤|0,  
**TABLE:** L/H, ⑥|⑥, ⑦|⑦, ⑧|⑧  
**HEIGHT:** 2000 mm (5 levels)  
**WIDTH:** 4550 mm  
**DEPTH:** 1700 mm

12 735



**SAND W12-2**  
**WALL:** 5/5, H/H, ①|①, ②|②|②|②, ③.  
**TABLE:** H/H, ⑥|⑥, ⑦|⑦, ⑧|⑧  
**HEIGHT:** 2000 mm (5 levels)  
**WIDTH:** 4550 mm  
**DEPTH:** 1700 mm

11 105






**SAND W12-3**  
**WALL:** 4/4, L/L, ①|①, ②|②|②|②, ③.  
**BENCH:** 2/2, ④|④, ⑤|⑤,  
**TABLE:** L/L, ⑥|⑥, ⑦|⑦, ⑧|⑧  
**HEIGHT:** 1600 mm (4 levels)  
**WIDTH:** 4550 mm  
**DEPTH:** 1700 mm

12 620

- ① Media
- ② Upholstery type and colour (wall)
- ③ Wall cover colour
- ④ Bench upholstery type and colour


- ⑤ Bench finish colour
- ⑥ Type and orientation of electrical port
- ⑦ Table top colour
- ⑧ Table base colour

Technical drawing	Name	Price group 4
	<p><b>SAND W13-0</b>  <b>WALL:</b> 5, 0/0, 0/0, ② ② ② ②, ③  <b>HEIGHT:</b> 2000 mm (5 levels)  <b>WIDTH:</b> 4280 mm  <b>DEPTH:</b> 1700 mm</p>	<p>5875</p>
	<p><b>SAND W14-0</b>  <b>WALL:</b> 5, 0/0, 0/0, ② ② ② ②, ③  <b>HEIGHT:</b> 2000 mm (5 levels)  <b>WIDTH:</b> 4280 mm  <b>DEPTH:</b> 1700 mm</p>	<p>5875</p>
	<p><b>SAND W15-0</b>  <b>WALL:</b> 5, 0/0, 0/0, ② ② ② ②, ③  <b>HEIGHT:</b> 2000 mm (5 levels)  <b>WIDTH:</b> 4420 mm  <b>DEPTH:</b> 1700 mm</p>	<p>7300</p>

- ① Media
- ② Upholstery type and colour (wall)
- ③ Wall cover colour
- ④ Bench upholstery type and colour


- ⑤ Bench finish colour
- ⑥ Type and orientation of electrical port
- ⑦ Table top colour
- ⑧ Table base colour

Technical drawing	Name	Price group 4
-------------------	------	---------------




**SAND W16-0**  
**WALL:** 5/4, 0/0, 0/0, ②|②|②|②|②, ③  
**HEIGHT:** 2000/1600 mm (5/4 level)  
**WIDTH:** 4550 mm  
**DEPTH:** 1700 mm

7995




**SAND W16-1**  
**WALL:** 5/4, H/L, ①|①, ②|②|②|②|②, ③  
**BENCH:** 0/2, 0/④, 0/⑤  
**TABLE:** H/L, ⑥|⑥, ⑦|⑦, ⑧|⑧  
**HEIGHT:** 2000/1600 mm (5/4 level)  
**WIDTH:** 4550 mm  
**DEPTH:** 1700 mm

12005



**SAND W16-2**  
**WALL:** 4/5, L/H, ①|①, ②|②|②|②|②, ③  
**BENCH:** 2/0, ④|0, ⑤|0  
**TABLE:** L/H, ⑥|⑥, ⑦|⑦, ⑧|⑧  
**HEIGHT:** 1600/2000 mm (4/5 levels)  
**WIDTH:** 4550 mm  
**DEPTH:** 1700 mm

12005




**SAND W16-3**  
**WALL:** 4/4, L/L, ①|①, ②|②|②|②, ③  
**BENCH:** 2/2, ④|④, ⑤|⑤  
**TABLE:** L/L, ⑥|⑥, ⑦|⑦, ⑧|⑧  
**HEIGHT:** 1600 mm (4 levels)  
**WIDTH:** 4550 mm  
**DEPTH:** 1700 mm

12620

- ① Media
- ② Upholstery type and colour (wall)
- ③ Wall cover colour
- ④ Bench upholstery type and colour


- ⑤ Bench finish colour
- ⑥ Type and orientation of electrical port
- ⑦ Table top colour
- ⑧ Table base colour

Technical drawing	Name	Price group 4
-------------------	------	---------------




**SAND W17-0**  
**WALL:** 5, 0, 0, 2|2|2|2|2, 3  
**HEIGHT:** 2000 mm (5 levels)  
**WIDTH:** 6480 mm  
**DEPTH:** 1700 mm

9525




**SAND W18-0**  
**WALL:** 4/5/4, 0/0/0, 0/0/0, 2|2|2|2|2, 3  
**HEIGHT:** 1600/2000/1600 mm (4/5/4 level)  
**WIDTH:** 6750 mm  
**DEPTH:** 1700 mm

10915



**SAND W18-1**  
**WALL:** 4/5/4, L/H/L, 1|1|1, 2|2|2|2|2, 3,  
**BENCH:** 2/0/2, 4|0/4, 5|0/5,  
**TABLE:** L/H/L, 6|6|6, 7|7|7, 8|8|8  
**HEIGHT:** 1600/2000/1600 mm (4/5/4 level)  
**WIDTH:** 6750 mm  
**DEPTH:** 1700 mm

17745




**SAND W18-2**  
**WALL:** 4/4/4, L/L/L, 1|1|1, 2|2|2|2|2, 3,  
**BENCH:** 2/2/2, 4|4|4, 5|5|5,  
**TABLE:** L/L/L, 6|6|6, 7|7|7, 8|8|8  
**HEIGHT:** 1600 mm (4 levels)  
**WIDTH:** 6750 mm  
**DEPTH:** 1700 mm

18360

- 1 Media
- 2 Upholstery type and colour (wall)
- 3 Wall cover colour
- 4 Bench upholstery type and colour





- 5 Bench finish colour
- 6 Type and orientation of electrical port
- 7 Table top colour
- 8 Table base colour

# Pouffes

Technical drawing	Name		Price group		
	SAND POUFFE (w: ①, D: ②, H: 450, ③, ④)		2	3	4
	DEPTH: 450	WIDTH: 450	125	135	155
		WIDTH: 750	185	200	230
		WIDTH: 900	190	205	235
		WIDTH: 1120	210	225	260
		WIDTH: 1500	285	310	335
		WIDTH: 1650	295	320	370
	DEPTH: 900	WIDTH: 1500	410	450	515
	DEPTH: 1050	WIDTH: 1050	440	480	550



- ① Width
- ② Depth
- ③ Type and colour of upholstery
- ④ Type of glides/castors:
  - SHH - Castors for hard floors + €20
  - SH - Castors for soft floors + €20
  - GRG1 - glides

# Reception

Technical drawing	Name	DEPTH	WIDTH	Price group 4
	<p><b>SAND RECEPTION R01-1</b> W: ①, D: 900, H: 1200, ② ② ②, ③</p> <p><b>RECEPTION FOR 1 DESK</b> HEIGHT: 1200 mm 3 levels FOR DESKS WITH A MAX. DEPTH: 600 mm</p>	900 mm	1920 mm	2295
			2120 mm	2400
			2320 mm	2535
	<p><b>SAND RECEPTION R02-1</b> W: ①, D: 900, H: 1200, ② ② ②, ③</p> <p><b>RECEPTION FOR 2 DESKS</b> HEIGHT: 1200 mm 3 levels FOR DESKS WITH A MAX. DEPTH: 600 mm</p>	900 mm	2720 mm	2775
			3120 mm	3015
			3520 mm	3255
	<p><b>SAND RECEPTION R01-2</b> W: ①, D: 1100, H: 1200, ② ② ②, ③</p> <p><b>RECEPTION FOR 1 DESK</b> HEIGHT: 1200 mm 3 levels FOR DESKS WITH A MAX. DEPTH: 800 mm</p>	1100 mm	1920 mm	2535
			2120 mm	2640
			2320 mm	2775
	<p><b>SAND RECEPTION R02-2</b> W: ①, D: 1100, H: 1200, ② ② ②, ③</p> <p><b>RECEPTION FOR 2 DESKS</b> HEIGHT: 1200 mm 3 levels FOR DESKS WITH A MAX. DEPTH: 800 mm</p>	1100 mm	2720 mm	3015
			3120 mm	3255
			3520 mm	3495

- ① Width
- ② Type and colour of upholstery
- ③ Cover colour

# Accessories

NETBOX POINT ELECTRICAL PORT (AHMP)	Description	Price
	<p>Media port Netbox Point (for mounting in a table top)  <b>DI80 1 × 230 V 1 × RJ45 1 × USB AHFR</b>  <b>COLOUR:</b> chrome mat</p>	<p><b>DE: 96</b>  <b>FR: 104</b>  <b>GB: 105</b></p>
NETBOX TURN COMFORT ELECTRICAL PORT (AHMT.3)	Description	Price
	<p>Media port Netbox Turn Comfort (for mounting on the wall or in a table top).  <b>2 × 230V 2 × RJ45 CAT6 AH3FR</b>  <b>COLOUR:</b> alu</p>	<p><b>DE: 428</b>  <b>FR: 434</b>  <b>GB: 444</b></p>
ADJUSTABLE TV HANDLE (F120B)	Description	Price
	<p>Mounting TV handle excludes mounting the Netbox Turn Comfort port in the wall.  <b>COLOUR:</b> black</p>	<p><b>167</b></p>
FIXED TV HANDLE (NBC1-F)	Description:	Price
	<p>Mounting TV handle excludes mounting the Netbox Turn Comfort port in the wall.  <b>COLOUR:</b> black</p>	<p><b>59</b></p>

# Tapa modular seating system


The line of Tapa pouffes has been designed to complement office spaces, reception areas and breakout zones. Their unique design adds an exceptional character to an interior, creating an attractive and comfortable informal meeting place. The product range comprises eleven types of pouffe – single-level pouffes: "O" type (three heights), "Y" type, "I" type, "Square O" type, "Square I" type and "Square L" type as well as four-level modular pouffe: "N" type and "Square"

type. Used as a single element, the pouffe perform the role of a mobile seat that complements a workplace and improves its comfort. They also allow for creating different arrangements which aid in designing an effective and comfortable meeting zone that facilitates information exchange. The users' comfort is ensured by foam of the proper density and with the right thickness. The possibility to shade particular pouffe levels or to choose contrasting colours

adds an additional aesthetically-pleasing effect to the whole arrangement. The N4-I, N4-II and O4 SQUARE models are available in two colour concepts:

- > **one-colour** – the same upholstery colour of each level;
- > **multi-colour** – different colours (of the same upholstery) can be matched to each level.

## Ordering:




TAPA POUFFE N4-I (w: 1090, d: 800, h: 620, ①|②|③|④, GRG1)



TAPA POUFFE N4-I (w: 1090, d: 800, h: 620, CUZ1E|CUZ1L|CUZ21|CUZ28, GRG1)

COLOUR CONCEPT ON PAGE 109

**N4-I - four-level pouffe (modular)**




Carcass: birch plywood (30 mm) + metal rotational mechanisms  
Glides: plastic, black colour  
Filling: polyurethane foam, styrofoam  
Cover: Blazer/Synergy fabric  
**The pouffe has its axis of rotation at the short side.**

**DIMENSIONS:** 800 × 1090 mm  
**SEAT HEIGHT:** 620 mm

	<b>4</b>
TAPA POUFFE N4-I (W: 1090, D: 800, H: 620, ①   ②   ③   ④, GRG1)	1250

**N4-II - four-level pouffe (modular)**



Carcass: birch plywood (30 mm) + metal rotational mechanisms  
Glides: plastic, black colour  
Filling: polyurethane foam, styrofoam  
Cover: Blazer/Synergy fabric  
**The pouffe has its axis of rotation at the long side.**

**DIMENSIONS:** 800 × 1090 mm  
**SEAT HEIGHT:** 620 mm

	<b>4</b>
TAPA POUFFE N4-II (W: 1090, D: 800, H: 620, ①   ②   ③   ④, GRG1)	1250

**04 SQUARE - four level pouffe (modular)**



Carcass: plywood (30 mm) + metal rotational mechanisms  
Glides: plastic, black colour  
Filling: polyurethane foam, styrofoam  
Cover: Blazer/Synergy fabric

**DIMENSIONS:** 900 × 900 mm  
**SEAT HEIGHT:** 620 mm

	<b>4</b>
TAPA POUFF 04 SQUARE (W: 900, D: 900, H: 620, ①   ②   ③   ④, GRG1)	1375

**Table**



Tabletop: melamine (18 mm)  
Base: powder-coated metal

**DIMENSIONS:** Ø 450 mm  
**HEIGHT:** 655 mm

	<b>4</b>
TAPA TABLE (top: _, base:_)	190

**FINISHES: AVAILABLE CONFIGURATIONS**

Tabletop: CC, base: CZ	Black_Black
Tabletop: BI, base: BI	White_White
Tabletop: NK, base: NK	Cashmere_Cashmere
Tabletop: NF, base: NF	Saffron_Saffron
Tabletop: AT, base: AT	Atlantic_Atlantic
Tabletop: NJ, base: BI	Acacia light_White
Tabletop: NA, base: BI	Aragon oak_White

Single-level pouffe - "O" type

Glides: plastic, black colour  
Filling: polyurethane foam, styrofoam  
Cover: Blazer/Synergy fabric



DIMENSIONS: Ø 400 mm  
SEAT HEIGHT: 150 mm

	<b>4</b>
TAPA POUFFE O (DI: 400, H:150, ①)	110

Single-level pouffe - "O" type

Carcass: chipboard (18 mm)  
Glides: plastic, black colour  
Filling: polyurethane foam, styrofoam  
Cover: Blazer/Synergy fabric



DIMENSIONS: Ø 400 mm  
SEAT HEIGHT: 170 mm

	<b>4</b>
TAPA POUFFE O (DI: 400, H:170, ①, GRG1)	115

Single-level pouffe - "O" type

Carcass: chipboard (18 mm)  
Glides: plastic, black colour  
Filling: polyurethane foam, styrofoam  
Cover: Blazer/Synergy fabric



DIMENSIONS: Ø 400 mm  
SEAT HEIGHT: 320 mm

	<b>4</b>
TAPA POUFFE O (DI: 400, H: 320, ①, GRG1)	140

Single-level pouffe - "I" type

Glides: plastic, black colour  
Filling: polyurethane foam, styrofoam  
Cover: Blazer/Synergy fabric



DIMENSIONS: 800 × 400 mm  
SEAT HEIGHT: 150 mm

	<b>4</b>
TAPA POUFFE I (W: 800, D: 400, H: 150, ①)	200

Single-level pouffe - "Y" type

Carcass: chipboard (18 mm)  
Glides: plastic, black colour  
Filling: polyurethane foam, styrofoam  
Cover: Blazer/Synergy fabric



DIMENSIONS: 800 × 745 mm  
SEAT HEIGHT: 320 mm

	<b>4</b>
TAPA POUFFE Y (W: 800, D: 745, H: 320, ①, GRG1)	310

**Single-level pouffe - POUFFE O SQUARE**

Carcass: chipboard (18 mm)  
Glides: plastic, black colour  
Filling: polyurethane foam, styrofoam  
Cover: Blazer/Synergy fabric



DIMENSIONS: 450 × 450 mm  
SEAT HEIGHT: 470 mm

	<b>4</b>
TAPA POUFFE O SQUARE (W: 450, D: 450, H: 470 <b>1</b> , GRG1)	230

**Single-level pouffe - POUFFE I SQUARE**

Carcass: chipboard (18 mm)  
Glides: plastic, black colour  
Filling: polyurethane foam, styrofoam  
Cover: Blazer/Synergy fabric




DIMENSIONS: 900 × 450 mm  
SEAT HEIGHT: 470 mm

	<b>4</b>
TAPA POUFFE I SQUARE (W: 900, D: 450, H: 470 <b>1</b> , GRG1)	310

**Single-level pouffe - POUFFE L SQUARE**

Carcass: chipboard (18 mm)  
Glides: plastic, black colour  
Filling: polyurethane foam, styrofoam  
Cover: Blazer/Synergy fabric



DIMENSIONS: 900 × 900 mm  
SEAT HEIGHT: 320 mm

	<b>4</b>
TAPA POUFFE L SQUARE (W: 900, D: 900, H: 320 <b>1</b> GRG1)	340

# Sample configurations

## Sample configuration 1


Single level pouffe "O" type + single level pouffe "Y" type.



	<b>4</b>
TAPA POUFFE O (FI: 400, H: 320, ①, GRG1)	450
TAPA POUFFE Y (W: 800, D: 745, H: 320, ①, GRG1)	

## Sample configuration 2


N4-I - four level pouffe (modular) + single level pouffe "O" type



	<b>4</b>
TAPA POUFFE N4-I (W: 1090, D: 800, H: 620, ① ② ③ ④, GRG1)	1390
TAPA POUFFE O (FI: 400, H: 320, ①, GRG1)	

## Sample configuration 3


N4-I - four level pouffe (modular) + single level pouffe "Y" type



	<b>4</b>
TAPA POUFFE N4-I (W: 1090, D: 800, H: 620, ① ② ③ ④, GRG1)	1560
TAPA POUFFE Y (W: 800, D: 745, H: 320, ①, GRG1)	

## Sample configuration 4


N4-II - four level pouffe (modular) + single level pouffe "O" type



	<b>4</b>
TAPA POUFFE N4-II (W: 1090, D: 800, H: 620, ① ② ③ ④, GRG1)	1390
TAPA POUFFE O (FI: 400, H: 320, ①, GRG1)	

## Sample configuration 5

N4-II - four level pouffe (modular) + single level pouffe "Y" type



	<b>4</b>
TAPA POUFFE N4-II (W: 1090, D: 800, H: 620, ① ② ③ ④, GRG1)	1560
TAPA POUFFE Y (W: 800, D: 745, H: 320, ①, GRG1)	

**Sample configuration 6**

2 pcs: N4-II – four level pouffe (modular)



	4
TAPA POUFFE N4-II (W: 1090, D: 800, H: 620, ①   ②   ③   ④, GRG1)	2500
TAPA POUFFE N4-II (W: 1090, D: 800, H: 620, ①   ②   ③   ④, GRG1)	

**Sample configuration 7**

N4-I four level pouffe (modular) +  
N4-II four level pouffe (modular)



	4
TAPA POUFFE N4-I (W: 1090, D: 800, H: 620, ①   ②   ③   ④, GRG1)	2500
TAPA POUFFE N4-II (W: 1090, D: 800, H: 620, ①   ②   ③   ④, GRG1)	

**Sample configuration 8**

3 pcs: N4-I – four level pouffe (modular)



	4
TAPA POUFFE N4-I (W: 1090, D: 800, H: 620, ①   ②   ③   ④, GRG1)	3750
TAPA POUFFE N4-I (W: 1090, D: 800, H: 620, ①   ②   ③   ④, GRG1)	
TAPA POUFFE N4-I (W: 1090, D: 800, H: 620, ①   ②   ③   ④, GRG1)	

**Sample configuration 9**


4 pcs: N4-II – four level pouffe (modular)



	4
TAPA POUFFE N4-II (W: 1090, D: 800, H: 620, ①   ②   ③   ④, GRG1)	5000
TAPA POUFFE N4-II (W: 1090, D: 800, H: 620, ①   ②   ③   ④, GRG1)	
TAPA POUFFE N4-II (W: 1090, D: 800, H: 620, ①   ②   ③   ④, GRG1)	
TAPA POUFFE N4-II (W: 1090, D: 800, H: 620, ①   ②   ③   ④, GRG1)	

**Sample configuration 10**

Single-level pouffe O SQUARE type  
+ Single-level pouffe - L SQUARE type



	<b>4</b>
TAPA POUFFE O SQUARE (W: 450, D: 450, H: 470, ①, GRG1)	570
SINGLE-LEVEL POUFFE - L SQUARE (W: 900, D: 900, H: 320, ① GRG1)	

**Sample configuration 11**


Single-level pouffe - I SQUARE type  
+ Single-level pouffe - L SQUARE type



	<b>4</b>
SINGLE-LEVEL POUFFE - I SQUARE (W: 900, D: 450, H: 470, ①, GRG1)	650
SINGLE-LEVEL POUFFE - L SQUARE (W: 900, D: 900, H: 320, ① GRG1)	

**Sample configuration 12**


O4 SQUARE - four level pouffe (modular)  
+ Single-level pouffe O SQUARE type



	<b>4</b>
O4 SQUARE - FOUR LEVEL POUFFE (MODULAR) (W: 900, D: 900, H: 620, ①   ②   ③   ④, GRG1)	1605
TAPA POUFFE O SQUARE (W: 450, D: 450, H: 470, ①, GRG1)	

**Sample configuration 13**


O4 SQUARE - four level pouffe (modular)  
+ Single-level pouffe - I SQUARE type



	<b>4</b>
O4 SQUARE - FOUR LEVEL POUFFE (MODULAR) (W: 900, D: 900, H: 620, ①   ②   ③   ④, GRG1)	1685
SINGLE-LEVEL POUFFE - I SQUARE (W: 900, D: 450, H: 470, ①, GRG1)	

**Sample configuration 14**

O4 SQUARE - four level pouffe (modular)  
+ Single-level pouffe - L SQUARE type



	<b>4</b>
O4 SQUARE - FOUR LEVEL POUFFE (MODULAR) (W: 900, D: 900, H: 620, ①   ②   ③   ④, GRG1)	1715
SINGLE-LEVEL POUFFE - L SQUARE (W: 900, D: 900, H: 320, ① GRG1)	

**Sample configuration 15**

2 pcs: 04 SQUARE - four level poffe (modular)



	<b>4</b>
04 SQUARE - FOUR LEVEL POFFE (MODULAR) (W: 900, D: 900, H: 620, ①   ②   ③   ④, GRG1)	2750
04 SQUARE - FOUR LEVEL POFFE (MODULAR) (W: 900, D: 900, H: 620, ①   ②   ③   ④, GRG1)	

**Sample configuration 16**

3 pcs: 04 SQUARE - four level poffe (modular)



	<b>4</b>
04 SQUARE - FOUR LEVEL POFFE (MODULAR) (W: 900, D: 900, H: 620, ①   ②   ③   ④, GRG1)	4125
04 SQUARE - FOUR LEVEL POFFE (MODULAR) (W: 900, D: 900, H: 620, ①   ②   ③   ④, GRG1)	
04 SQUARE - FOUR LEVEL POFFE (MODULAR) (W: 900, D: 900, H: 620, ①   ②   ③   ④, GRG1)	

# Tepee modular seating system

Thanks to the modular line of Tepee sofas and thermoformed panels, it is possible to create arrangements suited to work spaces with different functionalities. The system is perfect for arranging informal meeting places and relaxation zones, as well as reception areas. The line consists of a few sofa models that can be arranged freely. The only exception is the model F2 without the further extension possibility. Some models are available with a table as an option. The table is an element fully integrated with the seat and based on the same structure. This solution allows for reducing the number of legs the sofa consists of. Tables are also available as freestanding modules.

All available sofa models can be equipped with an additional element – a felt panel. By using this element you are provided with the possibility to create „room-in-room“ arrangements, depending on the selected panel height – 1226/1586/1766 mm.

As an option, individual sofa models and tables can be equipped with electric ports:  
 OE Electrics Proton – electric port dedicated to Tepee sofas. It is available in 2 configurations: 1 × 230 V or 2 × USB (cable length: 1.5 m).



The port is available in matt black.

OE Electrics Pluto – electric port dedicated to tables from the Tepee system.



The port is available in white only. There are two kinds of socket available:



It is available in 2 configurations: 3 × 230 V



or 2 × 230 V + 2 × USB (cable length 1,5 m).



The maximum number of ports available for each sofa model is given in the configuration table. To configure a port correctly, you have to define its location in the sofa and the socket type. Available locations of media ports for each sofa model are given in the table on p. 32–33.

The Tepee line is complemented with office panels made of thermoformed felt available in 3 different heights (1226, 1586 and 1766 mm). The panels are available as freestanding versions or versions for integration, which allows for creating various arrangements.

The last elements of the line are temporary workstations – Tepee Work. They are available as versions for performing seated work (working surface of the top is 780 mm) or versions for working while stood (working surface of the top is 1050 mm). The Tepee Work workstations are complemented with dedicated media ports, cable outlets and wire management that ensures an aesthetically pleasing look of all the wiring. The Tepee Work workstation can be fitted with the media port shown below: OE Electrics Pixel in the configuration: 1 × 230 V + 2 × USB (cable length: 3 m).



The port is available in black.

## 1. Sofas

All sofa models are made of a durable metal-wooden structure. The sofa seat is based on a metal frame to which round legs are fixed. The legs are made of beech wood and a white or black powder-coated metal profile. The comfort of use is ensured by the properly chosen foam of the right thickness and density.

## 2. Sofas with panels

All sofa models are made of a durable metal-wooden structure. The sofa seat is based on a metal frame to which round legs are fixed. The legs are made of beech wood and a white or black powder-coated metal profile. The comfort of use is ensured by the properly chosen foam of the right thickness and density. The sofas are equipped with a panel made of thermoformed felt that is available in 3 different heights. The felt panel is assembled to the sofa backrest using an upright made of veneered plywood. The panel is additional stabilised with a link made of solid beech wood.

## 3. Freestanding tables

The freestanding table is available with a top made of chipboard covered with HPL laminate on both sides. The top is fixed to a frame made of solid beech wood. The table is based on a metal frame to which round legs are fixed. The legs are made of beech wood and a white or black powder-coated metal profile.

## 4. Office Panels


Office panels consist of a panel made of sheet of thermoformed felt and an upright with a metal foot.

The upright is made of veneered plywood. The role of the upright is to stabilise the panel. The panels are available as freestanding versions or versions for integration, which allows for creating different arrangements. Panels for integration require ordering links that allow for connecting panels with one another.

## 5. Tepee Work

The workstation consists of office panels equipped with a working desktop. The top is made of 25 mm melamine double faced chipboard. As an option, the top can be fitted with media ports or outlets that allow for channelling cables.

The assembly elements the set consists of allow for creating a right or left workstation:



## 6. Links

### 6.1 Sofa links

Sofa links are made of metal and are used to connect a few sofa models with each other. The links are fixed to the seat frame in an invisible way.



The number of links needed for assembly is  $2 \times (n - 1 - k)$ , where:

**n** – means the number of modules in a given arrangement,  
**k** – means the sum of C1BR-90 W, C1BL-90 W, C1BR-90, C1BL-90 modules in a given arrangement.

**Note:** the number of links must be chosen for a specific sofa arrangement.

### 6.2 Panel link

The panel link is an element that connects the panel made of thermoformed felt with a wooden upright that stabilises the whole arrangement and makes it look aesthetically pleasing. The links are made of beech wood covered with transparent varnish. They are fixed using dedicated screws that are included in the assembly set. There are 2 types of link available.

### 6.2.1 External link



The number of links needed for assembly is:  
For sofas with a panel of total height:  
- 1226 mm – **2 pieces**,  
- 1586/1766 mm – **4 pieces**.  
For office panels of total height:  
- 1226 mm – **6 pieces**,  
- 1586/1766 mm – **8 pieces**.

### 6.2.2 Internal link



The number of links needed for assembly is:  
For connecting 2 sofas with a panel of total height:  
- 1226 mm – **1 piece**,  
- 1586/1766 mm – **2 pieces**.  
For connecting 2 office panels of total height:  
- 1226 mm – **3 pieces**,  
- 1586/1766 mm – **4 pieces**.  
The number of internal links needed for assembly is:  
- **n - 1** for sofas with a panel of total height 1226 mm,  
- **2 × (n - 1)** for sofas with a panel of total height 1586/1766 mm,  
- **3 × (n - 1)** for office panels of total height 1226 mm,  
- **4 × (n - 1)** for office panels of total height 1586/1766 mm,  
where:  
**n** – means the number of sofas/office panels used in a given arrangement.  
**Note:** the necessary links for sofas with a panel and freestanding office panels are included in the assembly set.

## 7. Wire trunking

### 7.1 Horizontal wire trunking

Horizontal wire trunking is made of upholstery fabric and fixed to the desktop using plastic links. The wire trunking is available in 2 different widths and can be fixed to Tepee Work workstations. Height of the horizontal wire trunking is 1200 mm.

### 7.2 Vertical wire trunking

Vertical wire trunking is made of upholstery fabric and fixed to the desktop using a plastic handle. There is a zip fastener along the cable spine, which allows for arranging all the cables easily. The vertical wire trunking of height 850 mm is designed for Tepee Work Sit workstations, while the one of height 1200 mm is designed for Tepee Work Stand workstations.


## 8. Rules of arranging modules

Only models of the same total height can be connected.

### 8.1 Sofas




Correct assembly




Incorrect assembly

### 8.2 Office panels



Correct assembly




Incorrect assembly


# Tepee modular seating system

## 8.3 Table

Sofas with panels finished with a table are available as versions for integration on both sides or on the side of the table. The arrangement cannot end with a table.



Correct assembly



Incorrect assembly

# Price list

# Sofas

			
<b>S1</b>	<b>S1 W</b>	<b>S2</b>	<b>S2 W</b>
1-seater sofa for integration and freestanding	1-seater sofa with a panel for integration or freestanding	2-seater sofa for integration and freestanding	2-seater sofa with a panel for integration or freestanding
735,-	925,-	1 305,-	1 700,-

SOFA						
1	INTEGRATION:	Integration possibility				
	YES	Module for integration	-	•	-	•
	NO	Freestanding module (height 1226 mm)	-	+ 15,-	-	+ 15,-
Freestanding module (height 1586 or 1766 mm)		-	+ 30,-	-	+ 30,-	
2	F1:	Finishing: backrest				
		Price group 4	•	•	•	•
3	F2:	Finishing: seat				
		Price group 4	•	•	•	•
4	F3:	Finishing: wooden leg part				
		1.007	Natural beech	•	•	•
5	F4:	Finishing: metal leg part				
		—	As in the catalogue	•	•	•
6	P1:	Media port				
	0	None	•	•	•	•
	_1-2U-CZ-_2	Media port PROTON 2×USB	+ 250,-	+ 250,-	+ 250,-	+ 250,-
	_1-1E-CZ-_2	Media port PROTON 1×230V	+ 100,-	+ 100,-	+ 100,-	+ 100,-
7	P2:	Media port 2				
	0	None	-	-	•	•
	_1-2U-CZ-_2	Media port PROTON 2×USB	-	-	+ 250,-	+ 250,-
	_1-1E-CZ-_2	Media port PROTON 1×230V	-	-	+ 100,-	+ 100,-

# Sofas

<b>S1</b>	<b>S1 W</b>	<b>S2</b>	<b>S2 W</b>
1-seater sofa for integration and freestanding	1-seater sofa with a panel for integration or freestanding	2-seater sofa for integration and freestanding	2-seater sofa with a panel for integration or freestanding
735,-	925,-	1 305,-	1 700,-

PANEL						
8	H:	Total module height				
	1226	1226 mm	-	•	-	•
	1586	1586 mm	-	+ 30,-	-	+ 60,-
	1766	1766 mm	-	+ 60,-	-	+ 120,-
9	F5:	Finishing: panel				
	FC01	PET felt	-	•	-	•
	FC02	PET felt light grey	-	•	-	•
10	F6:	Finishing: panel upright				
	1.007	Natural beech	-	•	-	•

## Sample order

		VERSION					1		2		3		4		5		6	
TEPEE	SOFA	S1 W	:	SOFA	(	INTEGRATION:	YES	F1:	LDS45	F2:	LDS45	F3:	1.007	F4:	BI	P1:	A-2U-CZ-FR	)
			8		9		10											
PANEL	(	H:	1226	F5:	FC01	F6:	1.007	)										

TEPEE SOFA **S1 W**: SOFA (INTEGRATION: **YES** F1: **LDS45** F2: **LDS45** F3: **1.007** F4: **BI** P1: **A-2U-CZ-FR**) PANEL (H: **1226** F5: **FC01** F6: **1.007**)

1-seater sofa **S1** with a panel (**S1 W**), for integration (INTEGRATION: **YES**), with a backrest in **LDS45** colour (F1: **LDS45**), a seat in **LDS45** colour (F2: **LDS45**), legs in natural beech (F3: **1.007**) + white (F4: **BI**) colours, an electric port: A location (in the configuration: 2xUSB, black, FR standard) (P1: **A-2U-CZ-FR**) and with a panel of height 1226 mm (H: **1226**) in **FC01** colour (F5: **FC01**) and uprights in natural beech colour (F6: **1.007**).

# Sofas

			
<b>C1R-90</b>	<b>C1R-90 W</b>	<b>C1L-90</b>	<b>C1L-90 W</b>
1-seater right corner sofa 90° for one-sided integration and freestanding	1-seater right corner sofa 90° with a panel for one-sided integration or freestanding	1-seater left corner sofa 90° for one-sided integration and freestanding	1-seater left corner sofa 90° with a panel for one-sided integration or freestanding
880, -	1095, -	880, -	1095, -

SOFA						
1	INTEGRATION:	Integration possibility				
	YES	Module for integration	-	•	-	•
	NO	Freestanding module (height 1226 mm)	-	+15, -	-	+15, -
Freestanding module (height 1586 or 1766 mm)		-	+30, -	-	+30, -	
2	F1:	Finishing: backrest				
		Price group 4	•	•	•	•
3	F2:	Finishing: seat				
		Price group 4	•	•	•	•
4	F3:	Finishing: wooden leg part				
	1.007	Natural beech	•	•	•	•
5	F4:	Finishing: metal leg part				
	--	As in the catalogue	•	•	•	•
6	P1:	Media port				
	0	None	•	•	•	•
	__ <sup>1</sup> -2U-CZ-__ <sup>2</sup>	Media port PROTON 2×USB	+250, -	+250, -	+250, -	+250, -
	__ <sup>1</sup> -1E-CZ-__ <sup>2</sup>	Media port PROTON 1×230V	+100, -	+100, -	+100, -	+100, -

# Sofas

			
<b>C1R-90</b>	<b>C1R-90 W</b>	<b>C1L-90</b>	<b>C1L-90 W</b>
1-seater right corner sofa 90° for one-sided integration and freestanding	1-seater right corner sofa 90° with a panel for one-sided integration or freestanding	1-seater left corner sofa 90° for one-sided integration and freestanding	1-seater left corner sofa 90° with a panel for one-sided integration or freestanding
880, -	1095, -	880, -	1095, -

PANEL						
7	H:	Total module height				
	1226	1226 mm	-	•	-	•
	1586	1586 mm	-	+ 60, -	-	+ 60, -
	1766	1766 mm	-	+ 120, -	-	+ 120, -
8	F5:	Finishing: panel				
	FC01	PET felt	-	•	-	•
	FC02	PET felt light grey	-	•	-	•
9	F6:	Finishing: panel upright				
	1.007	Natural beech	-	•	-	•

## Sample order

TEPEE	SOFA	VERSION				1		2		3		4		5		6	
		C1R-90 W	:	SOFA	(	INTEGRATION: YES	F1:	LDS45	F2:	LDS45	F3:	1.007	F4:	BI	P1:	A-2U-CZ-FR	)
			7		8		9										
PANEL	(	H:	1226	F5:	FC01	F6:	1.007	)									

TEPEE SOFA C1R-90 W: SOFA (INTEGRATION: YES F1: LDS45 F2: LDS45 F3: 1.007 F4: BI P1: A-2U-CZ-FR) PANEL (H: 1226 F5: FC01 F6: 1.007)


1-seater right corner sofa 90° with a panel (C1BR-90 W) for one-sided integration (INTEGRATION: YES), with a backrest in LDS45 colour (F1: LDS45), a seat in LDS45 colour (F2: LDS45), legs in natural beech (F3: 1.007) + white (F4: BI) colours, an electric port: A location (in the configuration: 2xUSB, black, FR standard) (P1: A-2U-CZ-FR), a panel of height 1226 mm (H: 1226) in FC01 colour (F5: FC01), and uprights in natural beech colour (F6: 1.007).

# Sofas

			
<b>C1BR-90</b>	<b>C1BR-90 W</b>	<b>C1BL-90</b>	<b>C1BL-90 W</b>
1-seater right corner sofa 90° for double-sided integration	1-seater right corner sofa 90° with a panel for double-sided integration	1-seater left corner sofa 90° for double-sided integration	1-seater left corner sofa 90° with a panel for double-sided integration
865, -	1080, -	865, -	1080, -

SOFA					
1	INTEGRATION:	Integration possibility			
	YES	Module for integration	-	•	-
2	F1:	Finishing: backrest			
		Price group 4	•	•	•
3	F2:	Finishing: seat			
		Price group 4	•	•	•
4	F3:	Finishing: wooden leg part			
	1.007	Natural beech	•	•	•
5	F4:	Finishing: metal leg part			
	--	As in the catalogue	•	•	•

# Sofas

			
<b>C1BR-90</b>	<b>C1BR-90 W</b>	<b>C1BL-90</b>	<b>C1BL-90 W</b>
1-seater right corner sofa 90° for double-sided integration	1-seater right corner sofa 90° with a panel for double-sided integration	1-seater left corner sofa 90° for double-sided integration	1-seater left corner sofa 90° with a panel for double-sided integration
865, -	1080, -	865, -	1080, -

PANEL						
6	H:	Total module height				
	1226	1226 mm	-	•	-	•
	1586	1586 mm	-	+ 60, -	-	+ 60, -
	1766	1766 mm	-	+ 120, -	-	+ 120, -
7	F5:	Finishing: panel				
	FC01	PET felt	-	•	-	•
	FC02	PET felt light grey	-	•	-	•
8	F6:	Finishing: panel upright				
	1.007	Natural beech	-	•	-	•

## Sample order

		VERSION					1		2		3		4		5	
TEPEE	SOFA	C1BR-90 W	:	SOFA	(	INTEGRATION:	YES	F1:	LDS45	F2:	LDS45	F3:	1.007	F4:	BI	)
			6		7		8									
PANEL	(	H:	1226	F5:	FC01	F6:	1.007	)								

TEPEE SOFA **C1BR-90 W**: SOFA (INTEGRATION: **YES** F1: **LDS45** F2: **LDS45** F3: **1.007** F4: **BI**) PANEL (H: **1226** F5: **FC01** F6: **1.007**)

1-seater right corner sofa 90° with a panel for double-sided integration (**C1BR-90 W**) (INTEGRATION: **YES**), with a backrest in LDS45 colour (F1: **LDS45**), a seat in LDS45 colour (F2: **LDS45**), legs in natural beech (F3: **1.007**) + white (F4: **BI**) colours, a panel of height 1226 mm (H: **1226**) in FC01 colour (F5: **FC01**), and uprights in natural beech colour (F6: **1.007**).



# Sofas

<b>C1-135</b>	<b>C1-135 W</b>	<b>C2R-135+90</b>	<b>C2R-135+90 W</b>	<b>C2L-135+90</b>	<b>C2L-135+90 W</b>
1-seater corner sofa 135° for integration and freestanding	1-seater corner sofa 135° with a panel for integration or freestanding	2-seater right corner sofa 135°+90° for one-sided integration and freestanding	2-seater right corner sofa 135°+90° with a panel for one-sided integration or freestanding	2-seater left corner sofa 135°+90° for one-sided integration and freestanding	2-seater left corner sofa 135°+90° with a panel for one-sided integration or freestanding
1045,-	1260,-	1795,-	2235,-	1795,-	2235,-

PANEL								
8	H:	Total module height						
	1226	1226 mm	-	•	-	•	-	•
	1586	1586 mm	-	+ 60,-	-	+ 120,-	-	+ 120,-
	1766	1766 mm	-	+ 120,-	-	+ 240,-	-	+ 240,-
9	F5:	Finishing: panel						
	FC01	PET felt	-	•	-	•	-	•
	FC02	PET felt light grey	-	•	-	•	-	•
10	F6:	Finishing: panel upright						
	1.007	Natural beech	-	•	-	•	-	•

## Sample order

		VERSION					1		2		3		4		5		6
TEPEE	SOFA	C2R-135+90 W	:	SOFA	(	INTEGRATION:	YES	F1:	LDS45	F2:	LDS45	F3:	1.007	F4:	BI	P1:	A-2U-CZ-FR
	7					8		9		10							
P2:	B-2U-CZ-FR	)	PANEL	(	H:	1226	F5:	FC01	F6:	1.007	)						

TEPEE SOFA C2R-135+90 W: SOFA (INTEGRATION: YES F1:LDS45 F2:LDS45 F3:1.007 F4:BI P1:A-2U-CZ-FR P2:B-2U-CZ-FR)  
PANEL (H:1226 F5:FC01 F6:1.007)

2-seater right corner sofa 135°+90° with a panel (C2R-135+90 W) for one-sided integration (INTEGRATION: YES), with a backrest in LDS45 colour (F1:LDS45), a seat in LDS45 colour (F2:LDS45), legs in natural beech (F3:1.007) + white (F4:BI) colours, an electric port: A location (in the configuration: 2xUSB, black, FR standard) (P1:A-2U-CZ-FR), an electric port: B location (in the configuration: 2xUSB, black, FR standard) (P2:B-2U-CZ-FR), a panel of height 1226 mm (H:1226) in FC01 colour (F5:FC01), and uprights in natural beech colour (F6:1.007).

# Sofas

			
<b>S1TSR</b>	<b>S1WTSR</b>	<b>S1TSL</b>	<b>S1WTSL</b>
1-seater sofa with a small table on the right, for integration and freestanding	1-seater sofa with a panel and a small table on the right, for integration	1-seater sofa with a small table on the left, for integration and freestanding	1-seater sofa with a panel and a small table on the left, for integration
935,-	1255,-	935,-	1255,-

SOFA						
1	INTEGRATION:	Integration possibility				
	YES	Module for integration	-	•	-	•
2	F1:	Finishing: backrest				
		Price group 4	•	•	•	•
3	F2:	Finishing: seat				
		Price group 4	•	•	•	•
4	F3:	Finishing: wooden leg part				
		1.007	Natural beech	•	•	•
5	F4:	Finishing: metal leg part				
		__	As in the catalogue	•	•	•
6	P1:	Media port				
	0	None	•	•	•	•
	__ <sup>1</sup> -2U-CZ-__ <sup>2</sup>	Media port PROTON 2×USB	+ 250,-	+ 250,-	+ 250,-	+ 250,-
	__ <sup>1</sup> -1E-CZ-__ <sup>2</sup>	Media port PROTON 1×230V	+ 100,-	+ 100,-	+ 100,-	+ 100,-

PANEL						
7	H:	Total module height				
	1226	1226 mm	-	•	-	•
	1586	1586 mm	-	+ 45,-	-	+ 45,-
	1766	1766 mm	-	+ 90,-	-	+ 90,-
8	F5:	Finishing: panel				
		FC01	PET felt	-	•	-
	FC02	PET felt light grey	-	•	-	•
9	F6:	Finishing: panel upright				
		1.007	Natural beech	-	•	-

# Sofas

			
<b>S1 TSR</b>	<b>S1 W TSR</b>	<b>S1 TSL</b>	<b>S1 W TSL</b>
1-seater sofa with a small table on the right, for integration and freestanding	1-seater sofa with a panel and a small table on the right, for integration	1-seater sofa with a small table on the left, for integration and freestanding	1-seater sofa with a panel and a small table on the left, for integration
935,-	1255,-	935,-	1255,-

TABLE (Table)						
10	F7:	Finishing: table frame				
	1.007	Natural beech	•	•	•	•
11	F8:	Finishing: table top				
	—	As in the catalogue	•	•	•	•
12	P3:	Media port				
	0	None	•	•	•	•
	3E-BI-__ <sup>2</sup>	Media port PLUTO 3×230V	+275,-	+275,-	+275,-	+275,-
	2E2U-BI-__ <sup>2</sup>	Media port PLUTO 2×230V+2×USB	+375,-	+375,-	+375,-	+375,-




## Sample order

		VERSION				1	2	3	4	5	6					
TEPEE	SOFA	S1 W TSR	:	SOFA	(	INTEGRATION: YES	F1: LDS45	F2: LDS45	F3: 1.007	F4: BI	P1: A-1E-CZ-FR )					
			7		8		9		10		11	12				
PANEL	(	H:	1226	F5:	FC01	F6:	1.007	)	TABLE	(	F7:	1.007	F8:	CA	P3:	2E2U-BI-FR )

TEPEE SOFA S1 W TSR: SOFA (INTEGRATION: YES F1: LDS45 F2: LDS45 F3: 1.007 F4: BI P1: A-1E-CZ-FR) PANEL (H: 1226 F5: FC01 F6: 1.007) TABLE (F7: 1.007 F8: CA P3: 2E2U-BI-FR)

1-seater sofa S1 with a panel and a small table on the right (S1 W TSR) for integration (INTEGRATION: YES), with a backrest in LDS45 colour (F1: LDS45), a seat in LDS45 colour (F2: LDS45), legs in natural beech (F3: 1.007) + white (F4: BI) colours, an electric port: A location (in the configuration: 1×230V, black, FR standard) (P1: A-1E-CZ-FR), a panel of height 1226 mm (H: 1226) in FC01 colour (F5: FC01), uprights in natural beech colour (F6: 1.007), and with a table with a frame in natural beech colour (F7: 1.007), a white top (F8: CA) and an electric port in the configuration: 2×230V+2×USB, white, FR standard (P3: 2E2U-BI-FR).

# Sofas

			
<b>S1 TLR</b>	<b>S1 W TLR</b>	<b>S1 TLL</b>	<b>S1 W TLL</b>
1-seater sofa with a big table on the right, for integration and freestanding	1-seater sofa with a panel and a big table on the right, for integration	1-seater sofa with a big table on the left, for integration and freestanding	1-seater sofa with a panel and a big table on the left, for integration
1055,-	1735,-	1055,-	1735,-

SOFA						
1	INTEGRATION:	Integration possibility				
	YES	Module for integration	-	•	-	•
2	F1:	Finishing: backrest				
		Price group 4	•	•	•	•
3	F2:	Finishing: seat				
		Price group 4	•	•	•	•
4	F3:	Finishing: wooden leg part				
		1.007	•	•	•	•
5	F4:	Finishing: metal leg part				
		--	•	•	•	•
6	P1:	Media port				
	0	None	•	•	•	•
	__1-2U-CZ-__ <sup>2</sup>	Media port PROTON 2×USB	+ 250,-	+ 250,-	+ 250,-	+ 250,-
	__1-1E-CZ-__ <sup>2</sup>	Media port PROTON 1×230V	+ 100,-	+ 100,-	+ 100,-	+ 100,-

PANEL							
7	H:	Total module height					
	1226	1226 mm	-	•	-	•	
	1586	1586 mm	-	+ 60,-	-	+ 60,-	
	1766	1766 mm	-	+ 120,-	-	+ 120,-	
8	F5:	Finishing: panel					
		FC01	PET felt	-	•	-	•
		FC02	PET felt light grey	-	•	-	•
9	F6:	Finishing: panel upright					
		1.007	Natural beech	-	•	-	•

# Sofas


			
<b>S1 TLR</b>	<b>S1 W TLR</b>	<b>S1 TLL</b>	<b>S1 W TLL</b>
1-seater sofa with a big table on the right, for integration and freestanding	1-seater sofa with a panel and a big table on the right, for integration	1-seater sofa with a big table on the left, for integration and freestanding	1-seater sofa with a panel and a big table on the left, for integration
1055,-	1735,-	1055,-	1735,-

TABLE (Table)						
10	F7:	Finishing: table frame				
	1.007	Natural beech	•	•	•	•
11	F8:	Finishing: table top				
	—	As in the catalogue	•	•	•	•
12	P3:	Media port				
	0	None	•	•	•	•
	3E-BI-__ <sup>2</sup>	Media port PLUTO 3×230V	+275,-	+275,-	+275,-	+275,-
	2E2U-BI-__ <sup>2</sup>	Media port PLUTO 2×230V+2×USB	+375,-	+375,-	+375,-	+375,-


## Sample order

		VERSION					1		2		3		4		5		6	
TEPEE	SOFA	S1 W TLR	:	SOFA	(	INTEGRATION:	YES	F1:	LDS45	F2:	LDS45	F3:	1.007	F4:	BI	P1:	A-1E-CZ-FR	)
			7		8		9					10		11			12	
PANEL	(	H:	1226	F5:	FC01	F6:	1.007	)	TABLE	(	F7:	1.007	F8:	CA	P3:	2E2U-BI-FR	)	

TEPEE SOFA S1 W TLR: SOFA (INTEGRATION: YES F1: LDS45 F2: LDS45 F3: 1.007 F4: BI P1: A-1E-CZ-FR) PANEL (H: 1226 F5: FC01 F6: 1.007) TABLE (F7: 1.007 F8: CA P3: 2E2U-BI-FR)

1-seater sofa S1 with a panel and a big table on the right (S1 W TLR) for integration (INTEGRATION: YES), with a backrest in LDS45 colour (F1: LDS45), a seat in LDS45 colour (F2: LDS45), legs in natural beech (F3: 1.007) + white (F4: BI) colours, an electric port: A location (in the configuration: 1×230V, black, FR standard) (P1: A-1E-CZ-FR), a panel of height 1226mm (H: 1226) in FC01 colour (F5: FC01), uprights in natural beech colour (F6: 1.007), and with a table with a frame in natural beech colour (F7: 1.007), a white top (F8: CA) and an electric port in the configuration: 2×230V+2×USB, white, FR standard (P3: 2E2U-BI-FR).

# Sofas

	
<b>S2 TSM</b>	<b>S2 WTSM</b>
2-seater sofa with a small table in a central position, for integration and freestanding	2-seater sofa with a panel and a small table in a central position, for integration or freestanding
1485, -	2025, -

SOFA				
1	INTEGRATION:	Integration possibility		
	YES	Module for integration	•	
	NO	Freestanding module (height 1226 mm)	+ 15, -	
Freestanding module (height 1586 or 1766 mm)		+ 30, -		
2	F1:	Finishing: backrest		
		Price group 4	•	
3	F2:	Finishing: seat		
		Price group 4	•	
4	F3:	Finishing: wooden leg part		
		1.007	•	
5	F4:	Finishing: metal leg part		
		--	•	
6	P1:	Media port		
	0	None	•	
	__1-2U-CZ-__2	Media port PROTON 2×USB	+ 250, -	
7	P2:	Media port		
		0	None	•
		__1-2U-CZ-__2	Media port PROTON 2×USB	+ 250, -
		__1-1E-CZ-__2	Media port PROTON 1×230V	+ 100, -

# Sofas



S2 TSM

S2 W TSM

2-seater sofa with a small table in a central position, for integration and freestanding

2-seater sofa with a panel and a small table in a central position, for integration or freestanding

1485,-

2025,-

## PANEL

8	H:	Total module height		
	1226	1226 mm		•
	1586	1586 mm	-	+75,-
	1766	1766 mm		+150,-
9	F5:	Finishing: panel		
	FC01	PET felt	-	•
	FC02	PET felt light grey	-	•
10	F6:	Finishing: panel upright		
	1.007	Natural beech	-	•

## TABLE (Table)

11	F7:	Finishing: table frame		
	1.007	Natural beech	•	•
12	F8:	Finishing: table top		
	—	As in the catalogue	•	•
13	P3:	Media port		
	0	None	•	•
	3E-BI-__ <sup>2</sup>	Media port PLUTO 3 × 230V	+ 275,-	+ 275,-
	2E2U-BI-__ <sup>2</sup>	Media port PLUTO 2 × 230V+ 2×USB	+ 375,-	+ 375,-

## Sample order

		VERSION					1		2		3		4		5		6		7	
TEPEE	SOFA	S2 W TSM	:	SOFA	(	INTEGRATION:	YES	F1:	LDS45	F2:	LDS45	F3:	1.007	F4:	BI	P1:	A-1E-CZ-FR	P2:	D-2U-CZ-FR	)
			8		9		10						11		12		13			
PANEL	(	H:	1586	F5:	FC01	F6:	1.007	)	TABLE	(	F7:	1.007	F8:	CA	P3:	2E2U-BI-FR	)			

TEPEE SOFA S2 W TSM: SOFA (INTEGRATION: YES F1: LDS45 F2: LDS45 F3: 1.007 F4: BI P1: A-1E-CZ-FR P2: D-2U-CZ-FR)  
PANEL (H: 1586 F5: FC01 F6: 1.007) TABLE (F7: 1.007 F8: CA P3: 2E2U-BI-FR)

2-seater sofa S2 with a panel and a small table between the seats (S2 W TSM) for integration (INTEGRATION: YES), with a backrest in LDS45 colour (F1: LDS45), a seat in LDS45 colour (F2: LDS45), legs in natural beech (F3: 1.007) + white (F4: BI) colours, an electric port: A location (in the configuration: 1 × 230V, black, FR standard) (P1: A-1E-CZ-FR), an electric port: D location (in the configuration: 2 × USB, black, FR standard) (P2: D-2U-CZ-FR), a panel of height 1586 mm (H: 1586) in FC01 colour (F5: FC01), uprights in natural beech colour (F6: 1.007), and with a table with a frame in natural beech colour (F7: 1.007), a white top (F8: CA) and an electric port in the configuration: 2 × 230V + 2 × USB, white, FR standard (P3: 2E2U-BI-FR).

# Sofas



<b>F2</b>	<b>F2 W</b>
2-seater sofa, freestanding	2-seater sofa with a panel, freestanding
1545, -	2065, -

SOFA				
1	INTEGRATION:	Integration possibility		
	NO	Freestanding module	•	•
2	F1:	Finishing: backrest		
		Price group 4	•	•
3	F2:	Finishing: seat		
		Price group 4	•	•
4	F3:	Finishing: wooden leg part		
		1.007	•	•
5	F4:	Finishing: metal leg part		
		--	•	•
6	P1:	Media port		
	0	None	•	•
	__1-2U-CZ-__2	Media port PROTON 2×USB	+ 250, -	+ 250, -
	__1-1E-CZ-__2	Media port PROTON 1×230V	+ 100, -	+ 100, -
7	P2:	Media port		
	0	None	•	•
	__1-2U-CZ-__2	Media port PROTON 2×USB	+ 250, -	+ 250, -
	__1-1E-CZ-__2	Media port PROTON 1×230V	+ 100, -	+ 100, -

# Sofas

	
<b>F2</b>	<b>F2 W</b>
2-seater sofa, freestanding	2-seater sofa with a panel, freestanding
1545, -	2065, -

PANEL				
8	H:	Total module height		
	1226	1226 mm	-	•
	1586	1586 mm	-	+ 120, -
	1766	1766 mm	-	+ 240, -
9	F5:	Finishing: panel		
	FC01	PET felt	-	•
	FC02	PET felt light grey	-	•
10	F6:	Finishing: panel upright		
	1.007	Natural beech	-	•

## Sample order

		VERSION					1		2		3		4		5		6		7	
TEPEE	SOFA	F2 W	:	SOFA	(	INTEGRATION:	NO	F1:	LDS45	F2:	LDS45	F3:	1.007	F4:	BI	P1:	A-1E-CZ-FR	P2	B-2U-CZ-FR	)
			8		9		10													
PANEL	(	H:	1226	F5:	FC01	F6:	1.007	)												

TEPEE SOFA F2 W: SOFA (INTEGRATION:NO F1:LDS45 F2:LDS45 F3:1.007 F4:BI P1:A-1E-CZ-FR P2:B-2U-CZ-FR)  
PANEL (H:1226 F5:FC01 F6:1.007)

2-seater sofa F2 with a panel (F2 W), freestanding (INTEGRATION:NO), with a backrest in LDS45 colour (F1:LDS45), a seat in LDS45 colour (F2:LDS45), legs in natural beech (F3:1.007) + white (F4:BI) colours, an electric port: A location (in the configuration: 1x230V, black, FR standard) (P1:A-1E-CZ-FR) and B location (in the configuration: 2xUSB, black, FR standard) (P2:B-2U-CZ-FR), a panel of height 1226 mm (H:1226) in FC01 colour (F5:FC01), and uprights in natural beech colour (F6:1.007).

# Sofa links

			
		EXTERNAL SOFA LINK	INTERNAL SOFA LINK
PACK:	Number of units in a set*		
1	1 piece	-	15,-
2	2 pieces	15,-	30,-
4	4 pieces	30,-	-

**Sample order**

TEPEE EXTERNAL SOFA LINK (F1:1.007 PACK:2)



TEPEE INTERNAL SOFA LINK (F1:1.007 PACK:1)

		
		SOFA LINK
PACK:	Number of units in a set**	
2	2 pieces	6,-

**Sample order**

TEPEE SOFA LINK (PACK:2)

# Table

		
	<b>750 × 750</b>	<b>1125 × 750</b>
Depth (mm)	750	750
Width (mm)	750	1125
Height (mm)	350	350
	475, -	525, -

TOP			
1	F1:	Finishing: table frame	
	1.007	Natural beech	•
2	F2:	Finishing: table top	
	--	As in the catalogue	•
3	P:	Media port	
	0	None	•
	3E-BI-__ <sup>2</sup>	Media port PLUTO 3 × 230V	+ 275, -
	2E2U-BI-__ <sup>2</sup>	Media port PLUTO 2 × 230V+ 2×USB	+ 375, -

BASE (PODSTAWA)			
4	F3:	Finishing: wooden leg part	
	1.007	Natural beech	•
5	F4:	Finishing: metal leg part	
	--	As in the catalogue	•



## Sample order

		VERSION					1		2		3				4		5		
TEPEE	TABLE	750 × 750	:	TOP	(	F1:	1.007	F2:	CA	P:	2E2U-BI-FR	)	BASE	(	F3:	1.007	F4:	BI	)

TEPEE TABLE 750 × 750: TOP (F1:1.007 F2:CA P:2E2U-BI-FR) BASE (F3:1.007 F4:BI)

Table with 750 × 750 dimensions, with a frame in natural beech colour (F1:1.007), a white top (F2:CA), an electric port in the configuration: 2 × 230V + 2 × USB, white, FR standard (P:2E2U-BI-FR), and a base in natural beech (F3:1.007) + white (F4:BI) colours.

# Work



**STAND**

**SIT**

Workstation with a top of height 1050 mm

Workstation with a top of height 780 mm

1530, -


1980, -

1830, -

**TOP (BLAT)**

1	W:	Top width (mm)	800	1200	1200
2	F1:	Finishing: top			
	—	As in the catalogue	•	•	•
3	P1:	Media port 1 or cable outlet 1			
	0	None	•	•	•
	80-BI	White cable outlet, Ø 80 mm	+ 10, -	+ 10, -	+ 10, -
	80-CZ	Black cable outlet, Ø 80 mm	+ 10, -	+ 10, -	+ 10, -
	80-AL	ALU cable outlet, Ø 80 mm	+ 10, -	+ 10, -	+ 10, -
	1E2U-CZ- <sup>2</sup>	Media port PIXEL 1 × 230 V + 2 × USB	+ 290, -	+ 290, -	+ 290, -
4	P2:	Media port 2 or cable outlet 2			
	0	None		•	•
	80-BI	White cable outlet, Ø 80 mm		+ 10, -	+ 10, -
	80-CZ	Black cable outlet, Ø 80 mm		+ 10, -	+ 10, -
	80-AL	ALU cable outlet, Ø 80 mm		+ 10, -	+ 10, -
	1E2U-CZ- <sup>2</sup>	Media port PIXEL 1 × 230 V + 2 × USB		+ 290, -	+ 290, -

# Work



STAND

SIT

Workstation with a top of height 1050 mm

Workstation with a top of height 780 mm

1530, -

1980, -

1830, -

**PANEL**

5	H:	Total module height		
	1586	1586 mm	-	•
	1766	1766 mm	•	+ 150, -
6	F5:	Finishing: panel		
	FC01	PET felt	•	•
	FC02	PET felt light grey	•	•
7	F6:	Finishing: panel upright		
	1.007	Natural beech	•	•
8	F7:	Finishing: panel upright metal foot		
	---	As in the catalogue	•	•


**Sample order**

		VERSION					1		2		3		4				5
TEPEE	WORK	STAND	:	TOP	(	W:	1200	F1:	BI	P1:	1E2U-CZ-FR	P2:	80-BI	PANEL	(	H:	1766
	6		7		8												
F5:	FC01	F6:	1.007	F7:	BI	)											

TEPEE WORK STAND: TOP (W:1200 F1:BI P1:1E2U-CZ-FR P2:80-BI) PANEL (H:1766 F5:FC01 F6:1.007 F7:BI)

TEPEE WORK workstation with a top of height 1050 mm (STAND), of width 1200 mm (W:1200), white (F1:BI), with an electric port (in the configuration: 1 x 230V + 2xUSB, black, FR standard) (P1:1E2U-CZ-FR), a white cable outlet ø80 mm (P2:80-BI), panels of height 1766 mm (H:1766), black FC01 (F5:FC01), uprights in natural beech colour (F6:1.007) and white feet (F7:BI).

# Office panels



**SW**

Office Panel

			275, -	295, -	320, -
1	W:	Width (mm)	400	800	1200
2	H:	Total panel height			
	1226	1226 mm	•	•	•
	1586	1586 mm	+ 20, -	+ 30, -	+ 40, -
	1766	1766 mm	+ 40, -	+ 60, -	+ 80, -
3	INTEGRATION:	Integration possibility			
	YES	Panel for integration		•	
	NO	Freestanding panel (height: 1226 mm)	+ 45, -	+ 45, -	+ 45, -
Freestanding panel (height: 1586 or 1766 mm)		+ 60, -	+ 60, -	+ 60, -	
4	F1:	Finishing: panel			
	FC01	PET felt		•	
	FC02	PET felt light grey		•	
5	F2:	Finishing: panel upright			
	1.007	Natural beech		•	
6	F3:	Finishing: panel upright metal foot			
	--	As in the catalogue		•	


**Sample order**

		VERSION	(	W:	1	2		3	4	5	6	)			
TEPEE	OFFICE PANEL	SW		W:	800	H:	1586	INTEGRATION:	YES	F1:	FC01	F2:	1.007	F3:	BI

TEPEE OFFICE PANEL SW (W:800 H:1586 INTEGRATION:YES F1:FC01 F2:1.007 F3:BI)

Straight office panel (SW) of width 800 mm (W:800) and height 1586 mm (H:1586), for integration (INTEGRATION:YES), in FC01 colour (F1:FC01), with uprights in natural beech colour (F2:1.007) and a white foot (F3:BI).

# Office panels

					
			CW90		CW120
			Office Panel 90°		Office Panel 120°
			325, -	330, -	335, -
1	D:	Depth (mm)	200	400	400
2	W:	Width (mm)	800		800
3	H:				
	1226	1226 mm	•	•	•
	1586	1586 mm	+ 35, -	+ 40, -	+ 40, -
	1766	1766 mm	+ 70, -	+ 80, -	+ 80, -
4	INTEGRATION:	Integration possibility			
	YES	Panel for integration	•		•
	NO	Freestanding panel (height: 1226 mm)	+ 45, -	+ 45, -	+ 45, -
Freestanding panel (height: 1586 or 1766 mm)		+ 60, -	+ 60, -	+ 60, -	
5	F1:	Finishing: panel			
	FC01	PET felt	•		•
	FC02	PET felt light grey	•		•
6	F2:	Finishing: panel upright			
	1.007	Natural beech	•		•
7	F3:	Finishing: panel upright metal foot			
	--	As in the catalogue	•		•

## Sample order

		VERSION			1		2		3		4		5		6		7	
TEPEE	OFFICE PANEL	CW90	(	D:	400	W:	800	H:	1586	INTEGRATION:	YES	F1:	FC01	F2:	1.007	F3:	BI	)

TEPEE OFFICE PANEL CW90 (D:400 W:800 H:1586 INTEGRATION:YES F1:FC01 F2:1.007 F3:BI)

Curved office panel 90° (CW 90) of depth 400 mm (D:400), width 800 mm (W:800) and height 1586 mm (H:1586), for integration (INTEGRATION:YES), in FC01 colour (F1:FC01), with uprights in natural beech colour (F2:1.007) and a white foot (F3:BI).

# Office panel links

			
		EXTERNAL PANEL LINK	INTERNAL PANEL LINK
PACK:	Number of units in a set*		
3	3 pieces	-	45,-
4	4 pieces		60,-
6	6 pieces	45,-	-
8	8 pieces	60,-	

**Sample order**

TEPEE EXTERNAL PANEL LINK (F1:1.007 PACK:6)

TEPEE INTERNAL PANEL LINK (F1:1.007 PACK:3)

# Wire trunking

## HORIZONTAL UPHOLSTERED

1	L:	Length	
	490	For Tepee Work workstations of width 800 mm	70, -
	670	For Tepee Work workstations of width 1200 mm	80, -
2	F1:	Finishing: upholstery colour	
		Price group 4	•

### Sample order

WIRE TRUNKING **HORIZONTAL UPHOLSTERED** (L:490 F1:LDS06)

## VERTICAL UPHOLSTERED






1	L:	Length	
	850	850 mm	25, -
	1200	1200 mm	30, -
2	F1:	Finishing: upholstery colour	
		Price group 4	•

### Sample order

				1		2	
WIRE TRUNKING	VERTICAL UPHOLSTERED	(	L:	850	F1:	LDS06	)

WIRE TRUNKING **VERTICAL UPHOLSTERED** (L:850 F1:LDS06)

# Sample arrangements

SOFAS		
Arrangement	Price	Picture
2 × sofa S2	$2 \times 1305 = 2610$	
<b>TOTAL: 2610,-</b>		
2 × sofa F2 W (with panels of height 1586 mm)	$2 \times (2065 + 120) = 4370$	
1 × Table 1125 × 750	525	
<b>TOTAL: 4895,-</b>		
1 × sofa C1BR-90 W (with panels of height 1586 mm)	$1080 + 60 = 1140$	
1 × sofa C1BL-90 W (with panels of height 1586 mm)	$1080 + 60 = 1140$	
1 × sofa C1R-90 W (with panels of height 1586 mm)	$1095 + 60 = 1155$	
1 × sofa C1L-90 W (with panels of height 1586 mm)	$1095 + 60 = 1155$	
2 × sofa S1 W (with panels of height 1586 mm)	$2 \times (925 + 30) = 1910$	
1 × sofa S2 W (with panels of height 1586 mm)	$1700 + 60 = 1760$	
table 750 × 750	475	
sofa links - 8 pieces (4 × 2 pieces)	$4 \times 6 = 24$	
external links - 4 pieces	30	
internal links - 12 pieces (6 × 2 pieces)	$6 \times 30 = 180$	
<b>TOTAL: 8969,-</b>		
2 × sofa C1R-90	$2 \times 880 = 1760$	
2 × sofa C1L-90	$2 \times 880 = 1760$	
2 × sofa S1	$2 \times 735 = 1470$	
sofa links - 8 pieces (4 × 2 pieces)	$4 \times 6 = 24$	
1 × table 1125 × 750	525	
<b>TOTAL: 5539,-</b>		
4 × sofa S2 W (with a panel of height M)	$4 \times (1700 + 60) = 7040$	
sofa links - 4 pieces (2 × 2 pieces)	$2 \times 6 = 12$	
external links - 8 pieces (2 × 4 pieces)	$2 \times 30 = 60$	
internal links - 8 pieces (4 × 2 pieces)	$4 \times 30 = 120$	
<b>TOTAL: 7232,-</b>		

# Sample arrangements

PANELS AND TEPEE WORK		
Arrangement	Price	Picture
hexagon (panels of height 1776 mm):		
4 × office panel CW120	$4 \times (335 + 80) = 1\,660$	
4 × office panel SW of width 800 mm	$4 \times (295 + 60) = 1\,420$	
external link - 8 pieces	60	
internal link - 28 pieces (7 × 4 pieces)	$7 \times 60 = 420$	
<b>TOTAL: 3 560,-</b>		
1 × Tepee Work Stand with a top of width 800 mm and of panels of height 1776 mm		
1 × Tepee Work Sit with a top of width 1200 mm and of panels of height 1776 mm	$1830 + 150 = 1980$	
<b>TOTAL: 3 510,-</b>		
3 × Tepee Work Stand with a top of width 800 mm and of panels of height 1776 mm		
	$3 \times 1530 = 4\,590$	
<b>TOTAL: 4 590,-</b>		
4 × Tepee Work Sit with a top of width 1200 mm and of panels of height 1586 mm		
	$4 \times 1830 = 7\,320$	
<b>TOTAL: 7 320,-</b>		







# Media port location

Product model version	MEDIA PORT LOCATION			
	480 mm	1200 mm	1600 mm	1800 mm
<b>S1</b> <b>S1 W</b> Max one media port in location A or B				
<b>S2</b> <b>S2 W</b> Max two media ports in location A, B, C or D				
<b>C1R-90</b> <b>C1R-90 W</b> One media port available in location A				
<b>C1L-90</b> <b>C1L-90 W</b> One media port available in location A				
<b>C1-135</b> <b>C1-135 W</b> Max one media port in location A or B				
<b>C2R-135+90</b> <b>C2R-135+90 W</b> Max two media ports in location A, B or C				
<b>C2L-135+90</b> <b>C2L-135+90 W</b> Max two media ports in location A, B or C				

# Media port location

Product model version	MEDIA PORT LOCATION			
	480 mm	1200 mm	1600 mm	1800 mm
<b>F2</b> <b>F2 W</b> Max two media ports in location A or B				
<b>S1 TSR</b> <b>S1 W TSR</b> Max one media port in location A or B				
<b>S1 TSL</b> <b>S1 W TSL</b> Max one media port in location A or B				
<b>S1 TLR</b> <b>S1 W TLR</b> Max one media port in location A or B				
<b>S1 TLL</b> <b>S1 W TLL</b> Max one media port in location A or B				
<b>S2 TSM</b> <b>S2 W TSM</b> Max two media ports in location A, B, C or D				


# Sofas without panels – dimensions




Model	Drawing	Seat height	Backrest height	Total height	Total width	Total depth	Top height
S1		420 mm	420 mm	840 mm	750 mm	750 mm	
S2		420 mm	420 mm	840 mm	1500 mm	750 mm	
C1R-90 C1L-90		420 mm	420 mm	840 mm	750 mm	750 mm	
C1BR-90 C1BL-90		420 mm	420 mm	840 mm	750 mm	750 mm	
C1-135		420 mm	420 mm	840 mm	1110 mm		
C2R-135+90 C2L-135+90		420 mm	420 mm	840 mm	1860 mm	750 mm	
S1 TSR S1 TSL		420 mm	420 mm	840 mm	1125 mm	750 mm	350 mm
S1 TLR S1 TLL		420 mm	420 mm	840 mm	1500 mm	750 mm	350 mm
S2 TSM		420 mm	420 mm	840 mm	1875 mm	750 mm	350 mm
F2		420 mm	420 mm	840 mm	1500 mm	750 mm	


# Sofas without panels – dimensions

Model	Drawing	Seat height	Backrest height	Total height	Total width	Total depth	Top height
S1 W		420 mm	420 mm	1226 mm/ 1586/ 1766	750 mm	750 mm	
S2 W		420 mm	420 mm	1226/ 1586/ 1766 mm	1500 mm	750 mm	
C1R-90 W C1L-90 W		420 mm	420 mm	1226/ 1586/ 1766 mm	750 mm	750 mm	
C1BR-90 W C1BL-90 W		420 mm	420 mm	1226/ 1586/ 1766 mm	750 mm	750 mm	
C1-135 W		420 mm	420 mm	1226/ 1586/ 1766 mm	1110 mm		
C2R-135+90 W C2L-135+90 W		420 mm	420 mm	1226/ 1586/ 1766 mm	1860 mm	750 mm	
S1 WTSR S1 WTSL		420 mm	420 mm	1226/ 1586/ 1766 mm	1125 mm	750 mm	350 mm
S1 WTLR S1 WTLL		420 mm	420 mm	1226/ 1586/ 1766 mm	1500 mm	750 mm	350 mm
S2 TSM		420 mm	420 mm	1226/ 1586/ 1766 mm	1875 mm	750 mm	350 mm
F2 W		420 mm	420 mm	1226/ 1586/ 1766 mm	1500 mm	750 mm	

# Tables, Work, Office Panels – dimentions

Tables				
Model	Drawing	Total height	Total width	Total depth
Tepee table 750 x 750		350 mm	750 mm	750 mm
Tepee table 1125 x 750		350 mm	1125 mm	750 mm

WORK						
Model	Drawing	Total height	Total width	Top width	Working surface height	Wing
Tepee Work Stand		1766 mm	800/1200 mm	1200 mm	1050 mm	
Tepee Work Sit		1586/1766 mm	1200 mm	800 mm	780 mm	

OFFICE PANELS				
Model	Drawing	Total height	Total width	Total depth
Tepee office panel SW		1226/ 1586/ 1766 mm	400/ 800/ 1200 mm	-
Tepee office panel CW90	 	1226/ 1586/ 1766 mm	800 mm	200/ 400 mm
Tepee office panel CW120		1226/ 1586/ 1766 mm	800 mm	400 mm

**Athena ST33**


Conference and visitor upholstered armchair with integrated armrests. On a swivel base of polished aluminum, ST33-POL. 50 mm self-braking castors for soft floors (SH).

**EXTERNAL DIMENSIONS:** 635 × 625 mm  
**BASE:** Ø 670 mm  
**HEIGHT:** 820–910 mm  
**SEAT HEIGHT:** 450–530 mm

Price group	1	2	3	4	5
chrome	208	231	244	258	299
50 mm self-braking castors for hard floors (SHH)	0				
50 mm chromium plated castors for soft floors (NHC)	8				
50 mm chromium plated castors for hard floors (NHC)	8				

**Athena 4L**


Conference and visitor upholstered armchair with integrated armrests. On a 4-leg aluminum frame (4L-ALU).

**EXTERNAL DIMENSIONS:** 635 × 625 mm  
**HEIGHT:** 845 mm  
**SEAT HEIGHT:** 465 mm

Price group	1	2	3	4	5
alu	165	188	201	215	256
chrome	172	194	208	222	263
glides for hard floors	5				

**Athena Cross**


Conference and visitor upholstered armchair with integrated armrests. On a cross frame, chromium plated.

**EXTERNAL DIMENSIONS:** 635 × 625 mm  
**BASE:** Ø 480 mm  
**HEIGHT:** 856 mm  
**SEAT HEIGHT:** 460 mm

Price group	1	2	3	4	5
chrome	215	238	251	265	306

**Athena LWM 4L**


Conference and visitor upholstered armchair with integrated armrests, on four conical beech wood legs (natural beech 1.007). Plastic glides for soft floors.

**EXTERNAL DIMENSIONS:** 635 × 625 mm  
**HEIGHT:** 862 mm  
**SEAT HEIGHT:** 484 mm

Price group	1	2	3	4	5
wood version	275	298	311	325	366
glides for hard floors	5				

**Conect II**



Soft upholstered seat and backrest. Frame: steel, chromium plated.

Price group	1	2	3	4	5
chrome	181	196	204	231	264
Conect link	4.5				

**EXTERNAL DIMENSIONS:** 540 x 600 mm  
**HEIGHT:** 840 mm  
**SEAT HEIGHT:** 395 mm

**Conect II arm**



Soft upholstered seat and backrest. Armrests with wooden pads. Frame: steel, chromium plated.

Price group	1	2	3	4	5
chrome	225	242	249	284	319
Conect link	4.5				

**EXTERNAL DIMENSIONS:** 540 x 600 mm  
**HEIGHT:** 840 mm  
**SEAT HEIGHT:** 395 mm

**Conect II shelf 60**



Chair linking shelf. Shelf made of 25 mm melamine fine chipboard. Colours available according to the offer.

	melamine
	44

**EXTERNAL DIMENSIONS:** 510 mm, 60°

**Conect II shelf 90**




Chair linking shelf. Shelf made of 25 mm melamine fine chipboard. Colours available according to the offer.

	melamine
	53

**EXTERNAL DIMENSIONS:** 510 mm, 90°

**Conect II shelf 51 x 51**



Chair linking shelf. Shelf made of 25 mm melamine fine chipboard. Colours available according to the offer.

	melamine
	32

**EXTERNAL DIMENSIONS:** 510 x 510 mm

**Conect II Table**





Table with a melamine top. Frame table is available in chrome version.

	melamine
chrome	85

**EXTERNAL DIMENSIONS:** 90 x 600 mm  
**HEIGHT:** 400 mm

**Club**


Soft, upholstered seat and backrest with integrated armrests. Construction of the seat and back ensures comfort thanks to a high density and thickness of foam. Glides for soft floors.

**EXTERNAL DIMENSIONS:** 700 × 630 mm  
**HEIGHT:** 770 mm  
**SEAT HEIGHT:** 455 mm


Price group	1	2	3	4	5
	130	161	168	199	282

**Club TR**


Soft, upholstered seat and backrest with integrated armrests. Folding writing top in this version. Construction of the seat and back ensures comfort thanks to a high density and thickness of foam. Glides for soft floors. Tablets are available in beech melamine. More finishes are available with longer production time.

**EXTERNAL DIMENSIONS:** 700 × 630 mm  
**HEIGHT:** 770 mm  
**SEAT HEIGHT:** 455 mm


Price group	1	2	3	4	5
	153	184	191	222	305

**Club Roll**


Soft, upholstered seat and backrest with integrated armrests. Construction of the seat and back ensures comfort thanks to a high density and thickness of foam. Castors 40 mm for soft floors.

**EXTERNAL DIMENSIONS:** 700 × 630 mm  
**HEIGHT:** 770 mm  
**SEAT HEIGHT:** 455 mm


Price group	1	2	3	4	5
	141	172	179	210	293

**Club Duo**


2-seater sofa with soft, upholstered seat and backrest with integrated armrests. Construction of the seat and back ensures comfort thanks to a high density and thickness of foam. Glides for soft floors.

**EXTERNAL DIMENSIONS:** 1290 × 630 mm  
**HEIGHT:** 770 mm  
**SEAT HEIGHT:** 455 mm

Price group	1	2	3	4	5
	208	262	281	331	451


**Club Trio**


3-seater sofa with soft, upholstered seat and backrest with integrated armrests. Construction of the seat and back ensures comfort thanks to a high density and thickness of foam. Glides for soft floors.

**EXTERNAL DIMENSIONS:** 1790 × 630 mm  
**HEIGHT:** 770 mm  
**SEAT HEIGHT:** 455 mm

Price group	1	2	3	4	5
	299	375	402	482	627

**Club SQ**



Upholstered seat and backrest with integrated armrests. Construction of the seat and back ensures comfort thanks to a high density and thickness of foam. Glides for soft floors.

Price group	1	2	3	4	5
	162	198	213	231	321

**EXTERNAL DIMENSIONS:** 620 x 620 mm  
**HEIGHT:** 850 mm  
**SEAT HEIGHT:** 465 mm

**Club SQ TR**




Upholstered seat and backrest with integrated armrests. Wooden, folding writing top in this version. Construction of the seat and back ensures comfort thanks to a high density and thickness of foam. Glides for soft floors. Tablets are available in beech melamine. More finishes are available with longer production time.

Price group	1	2	3	4	5
	185	221	236	254	344

**EXTERNAL DIMENSIONS:** 620 x 620 mm  
**HEIGHT:** 850 mm  
**SEAT HEIGHT:** 465 mm

**Club SQ Duo**




2-seater sofa with upholstered seat and backrest with integrated armrests. Construction of the seat and back ensures comfort thanks to a high density and thickness of foam. Glides for soft floors.

Price group	1	2	3	4	5
	237	291	310	360	480

**EXTERNAL DIMENSIONS:** 1190 x 620 mm  
**HEIGHT:** 850 mm  
**SEAT HEIGHT:** 465 mm

**Columbia**




Armchair with upholstered seat and backrest with integrated armrests. Construction of the seat and back ensures comfort thanks to a high density and thickness of foam. Glides for soft floors.

Price group	1	2	3	4	5
	201	242	252	324	489

**EXTERNAL DIMENSIONS:** 700 x 600 mm  
**HEIGHT:** 760 mm  
**SEAT HEIGHT:** 450 mm

**PRICE GROUPS FOR COLUMBIA:**  
**1** Sempre, Kaiman, Oban  
**2** Contract, Era, Microfibra, Nexus, Valencia, Xtreme  
**3** Oxygen, Sp Split Leather Front  
**4** LE Leather Front, SD Leather Front, Synergy  
**5** Leather LE., Leather SD

**Columbia duo**



2-seater sofa with upholstered seat and backrest with integrated armrests. Construction of the seat and back ensures comfort thanks to a high density and thickness of foam. Glides for soft floors.

Price group	1	2	3	4	5
	307	348	369	441	719

**EXTERNAL DIMENSIONS:** 127 x 600 mm  
**HEIGHT:** 760 mm  
**SEAT HEIGHT:** 450 mm

**PRICE GROUPS FOR COLUMBIA:**  
**1** Sempre, Kaiman, Oban  
**2** Contract, Era, Microfibra, Nexus, Valencia, Xtreme  
**3** Oxygen, Sp Split Leather Front  
**4** LE Leather Front, SD Leather Front, Synergy  
**5** Leather LE., Leather SD

**Hello! 4L**


Conference and visitor upholstered armchair with integrated armrests on a 4-leg black powder coated frame. Plastic glides for soft floors.

**EXTERNAL DIMENSIONS:** 630 × 585 mm  
**HEIGHT:** 765 mm  
**SEAT HEIGHT:** 480 mm

Price group	1	2	3	4	5
BL	199	235	255	286	343
chrome	206	242	262	293	350
GBPF plastic glides for hard floors	5				

**Hello! LWM 4L**


Conference and visitor upholstered armchair with integrated armrests, on four conical beech wood legs (natural beech 1.007). Plastic glides for soft floors.

**EXTERNAL DIMENSIONS:** 630 × 580 mm  
**HEIGHT:** 775 mm  
**SEAT HEIGHT:** 490 mm

Price group	1	2	3	4	5
wood version	309	345	365	396	453
GBF plastic glides for hard floors	5				


**HELLO! PUZZLE-LWM 4L**


Conference and visitor upholstered armchair with integrated armrests. Outer side of the backrest/armrests upholstered in two colours of the chosen fabric. Four conical beech wood legs (natural beech 1.007). Plastic glides for soft floors.

**EXTERNAL DIMENSIONS:** 635 × 575 mm  
**HEIGHT:** 775 mm  
**SEAT HEIGHT:** 490 mm

Price group	1	2*	3	4**	5
wood version	-	355	-	406	-
GBF plastic glides for hard floors	5				


\* Available only in Era  
 \*\* Available only in Synergy

**Hello! Duo 4L**


Conference and visitor 2-seater upholstered sofa with integrated armrests on a 4-leg black powder coated frame. Plastic glides for soft floors.

**EXTERNAL DIMENSIONS:** 1145 × 585 mm  
**HEIGHT:** 765 mm  
**SEAT HEIGHT:** 480 mm


Price group	1	2	3	4	5
BL	287	329	354	421	514
chrome	299	341	366	433	526
GBF plastic glides for hard floors	5				

**Hello! DUO-LWM 4L**


Conference and visitor 2-seater upholstered sofa with integrated armrests, on four conical beech wood legs (natural beech 1.007). Plastic glides for soft floors.

**EXTERNAL DIMENSIONS:** 1145 × 585 mm  
**HEIGHT:** 775 mm  
**SEAT HEIGHT:** 490 mm

Price group	1	2	3	4	5
wood version	446	488	513	580	673
GBF plastic glides for hard floors	5				

**HELLO! DUO-PUZZLE-LWM 4L**


Conference and visitor 2-seater upholstered sofa with integrated armrests. Outer side of the backrest/armrests upholstered in two colours of the chosen fabric. Four conical beech wood legs (natural beech 1.007). Plastic glides for soft floors.

**EXTERNAL DIMENSIONS:** 1145 × 585 mm  
**HEIGHT:** 775 mm  
**SEAT HEIGHT:** 490 mm

Price group	1	2*	3	4**	5
wood version	-	503	-	595	-
GBF plastic glides for hard floors	5				

\* Available only in Era  
 \*\* Available only in Synergy

**Hello! 4S**



Conference and visitor upholstered armchair with integrated armrests on a 4S frame, alu painted. Plastic glides for soft floors.

Price group	1	2	3	4	5
BL	228	264	284	315	372
chrome	235	271	291	322	379
GBPF plastic glides for hard floors	5				

**EXTERNAL DIMENSIONS:** 630 × 575 mm  
**BASE:** Ø 500 mm  
**HEIGHT:** 792 mm  
**SEAT HEIGHT:** 480 mm

**Hello! Cross**



Conference and visitor upholstered armchair with integrated armrests on a 1S CROSS chromed frame.

Price group	1	2	3	4	5
chrome	249	285	305	336	393

**EXTERNAL DIMENSIONS:** 630 × 575 mm  
**BASE:** Ø 480 mm  
**HEIGHT:** 780 mm  
**SEAT HEIGHT:** 480 mm

**Hello! Table**



Table (460 × 550 × 550) with a melamine top (MA), black powder coated frame.

	melamine
BL	100
chrome	112

**EXTERNAL DIMENSIONS:** 550 × 550 mm  
**HEIGHT:** 460 mm

**Hello! Table LWM**



Table (420 × 550 × 550) with a melamine top (MA), on four conical beech wood legs (natural beech 1.007).

	melamine
wood version	190

**EXTERNAL DIMENSIONS:** 550 × 550 mm  
**HEIGHT:** 420 mm

**Hello Table Duo LWM**



Table (420 × 1100 × 550) with a melamine top (MA), on four conical beech wood legs (natural beech 1.007).

	melamine
wood version	210

**EXTERNAL DIMENSIONS:** 550 × 1100 mm  
**HEIGHT:** 420 mm

**Kaika Lux ST33**



Swivel conference armchair, fully upholstered seat and back, seat height adjustable mechanism, polished aluminum base. Chair assembly parts covered with upholstery. 50 mm self-braking castors for soft floors (SH).

**EXTERNAL DIMENSIONS:** 660 × 580 mm  
**BASE:** Ø 670 mm  
**HEIGHT:** 800-895 mm  
**SEAT HEIGHT:** 420-515 mm

Price group	1	2	3	4	5
polished aluminium base	–	320	–	360	–
50 mm self-braking castors for hard floors (SHH)			0		
50 mm chromium plated castors for soft floors (NHC)			8		
50 mm chromium plated castors for hard floors (NHHC)			8		

**Kaika Lux ST46**



Conference armchair on a spider base (ST46), fully upholstered seat and back, mechanism with memory function and allowing to turn the armchair around while sitting. Chair assembly parts covered with upholstery. Self-levelling glides for soft floors, chromium version (CR).

**EXTERNAL DIMENSIONS:** 660 × 580 mm  
**BASE:** Ø 520 mm  
**HEIGHT:** 820 mm  
**SEAT HEIGHT:** 440 mm

Price group	1	2	3	4	5
chrome	–	405	–	445	–

**Kaika 4L**



4-leg conference armchair (4L), fully upholstered seat and back, chromium version (CR), glides for soft floors (GB).

**EXTERNAL DIMENSIONS:** 660 × 580 mm  
**HEIGHT:** 845 mm  
**SEAT HEIGHT:** 470 mm

Price group	1	2	3	4	5
chrome	–	296	–	336	–
glides for hard floors			5		

**Kaika 4L Double**



4-leg conference armchair (4L), fully upholstered seat and back in 2 colours, chromium version (CR), glides for soft floors (GB). The first colour refers to the front of the seat, the second one - to the rear part and sides. Do not mix upholsteries (we can create colour combinations within one upholstery).

**EXTERNAL DIMENSIONS:** 660 × 580 mm  
**HEIGHT:** 845 mm  
**SEAT HEIGHT:** 470 mm

Price group	1	2	3	4	5
chrome	–	296	–	336	–
glides for hard floors			5		

**Kaika 4L LWM**



Conference armchair on a wooden base with metal elements (LWM). Wooden components made of natural laquered oak, metal components - powdered coated in black RAL 9005. Fully upholstered seat and back. Glides for soft floors.

**EXTERNAL DIMENSIONS:** 660 × 585 mm  
**HEIGHT:** 840 mm  
**SEAT HEIGHT:** 465 mm

Price group	1	2	3	4	5
metal elements in black	–	340	–	380	–
metal elements in white	–	340	–	380	–

# Finishes

## 1 PRICE GROUP

### BN | Bondai




### KN | Kaiman




### YB | Lucia



### EF | Oban




### SM | Sempre



PRICE GROUP

2


Contract | YN



Era | CSE



Nexus | UNY



Microfibra | CM



Valencia\* | VL




\*Not available to Hexa and Hexa Wall

The colours of products and finishes may slightly differ from the colours printed in the pricelist.


# Finishes

## XR | Xtreme



### 3 PRICE GROUP

## XF | Flex




## K | King L Elast



## OX | Oxygen



## SX | Silvertex\*



\*Not available to Hexa and Hexa Wall

Split Leather SP front\* | SP




\*Split Leather SP front – only applicable to Nowy Styl brand products (front of the chair in leather, back in V artificial leather).

PRICE GROUP **4**

Blazer | CUZ



Fame | F



Synergy | LDS



The colours of products and finishes may slightly differ from the colours printed in the pricelist.

# Finishes

## LE | Fine Leather LE front\*



LE14      LE13      LE01      LE06

\*Leather front - (front of the chair in leather, back in V imitation leather).

## SD | Fine Leather SD front\*



SD06      SD16      SD04      SD03      SD07      SD09      SD15      SD08      SD01

\*Leather front - (front of the chair in leather, back in V imitation leather).

### 5

#### PRICE GROUP

## LE | Fine Leather LE



LE14      LE13      LE01      LE06

## SD | Fine Leather SD



SD06      SD16      SD04      SD03      SD07      SD09      SD15      SD08      SD01


## Q | Fine Leather Q



Q1      Q7      Q9      Q2      Q12      Q10      Q14

# Tapa – colour concept

## Blazer fabric


4	 CUZ47	 CUZ85	 CUZ1D	 CUZ1E	 CUZ1U	 CUZ1Q
3	 CUZ14	 CUZ39	 CUZ53	 CUZ1G	 CUZ1Z	 CUZ1V
2	 CUZ31	 CUZ63	 CUZ1K	 CUZ30	 CUZ2A	 CUZ24
1	 CUZ1A	 CUZ21	 CUZ1M	 CUZ08	 CUZ32	 CUZ62

## Synergy fabric

4	 LDS82	 LDS65	 LDS53	 LDS45	 LDS18	 LDS21
3	 LDS81	 LDS63	 LDS52	 LDS28	 LDS22	 LDS24
2	 LDS86	 LDS68	 LDS51	 LDS43	 LDS37	 LDS25
1	 LDS79	 LDS62	 LDS50	 LDS42	 LDS39	 LDS27

# Finishes

## Wood & Plywood



Veneer furniture colour matching  
wood/plywood furniture colour:  
CB Veneer = 1.032 (Colombo)  
LV Veneer = 1.076 (Havana)  
BG Veneer = 1.06R (Beech Grey)

## Veneered +4



## Veneered plywood +5



## Laminates HPL +6

For table tops



\*Melamine colours matching all above laminate colours.




## Melamine



\* Colour available for Tapa tables.

## Metal



\* Colour available for Tapa tables.

\*\* Colours available for powder-coated chair frames.

\*\*\* Colour available for Sand

## Glass



# General Business Conditions

## 1. Prices

This price list is expressed in EURO and takes effect as of 01/04/2018. All previous price lists now become invalid. Prices are exclusive of delivery and installation/assembly. The costs of installation will be invoiced at fixed prices. Prices do not include value-added tax. Please note that some chairs are sold assembled. In such situations Nowy Styl sp. z o.o. (further referred to as NSG) does not charge an additional fee for installation/assembly.

## 2. Orders

All orders must be submitted in a written form such as by fax, e-mail etc. to avoid errors or duplication. Orders can be placed via EDI after mutual agreement.

Written orders will be accepted in the form of a signed and approved seller's proposal or in the form of a buyer's purchase order. No phone orders will be accepted. Orders for standard or non-standard products cannot be changed or cancelled once the order had been confirmed in writing by NSG.

### Shipping delays:

Shipping date specified in seller's proposal is seller's best estimation of shipping date at the time of proposal. However, the seller shall not be held responsible to the purchaser for failure to ship by a particular date unless the seller has agreed to an explicit shipping date in a separate written document signed by seller's authorized officer.

### Shipping suspension:

In the event if the purchaser defaults in any payment due to the seller, the seller shall have the right, after prior notice to the purchaser, to defer or discontinue shipment of any goods permanently or until such time as the default is corrected or the purchaser provides assurance of payment in such form, content and/or amount as the seller deems adequate.

## 3. Delivery

Deliveries will take place ex-factory unless otherwise expressly agreed. Products are dispatched wrapped in standard packaging. The goods are delivered according to NSG practices unless specific packing, labeling, marking or means of transportation are requested by the buyer and confirmed by NSG. The confirmed

delivery date is an estimated date only. NSG cannot be held responsible for any loss that the buyer may suffer due to a delayed delivery or lack of delivery.

## 4. Payment

Terms of payment shall be agreed with the buyer. Unless otherwise agreed, payment for a consignment must be effected in accordance with the payment terms indicated on commercial invoice and order confirmation.

NSG reserves the ownership of all goods sold, which are explicitly described on order confirmation, until the purchase amount has been paid in full. The buyer is responsible to NSG for any damage that the goods sold may suffer, until the goods have been paid for. Unless otherwise agreed, payments shall be made in the currency referenced on the invoice.

Transfer of payments shall be made by electronic means directly to NSG bank account. Should any change occur in buyer's financial and economic position, and NSG deems buyer's solvency situation to be changed, NSG may require immediate or earlier payment.

## 5. Complaints and deficiencies

The buyer is obliged to inspect the consignment immediately upon receipt. Complaints and/or visible damages in transport, if any, shall be specified on delivery note/waybill immediately upon receipt of the goods and shall be reported to the carrier immediately.

Complaints concerning damages in transport that are not visible shall be made in writing and received by NSG no later than 7 days from the date of delivery. The buyer has no right to return goods without NSG approval. Returned goods shall only be accepted if a prior written agreement has been made. The goods should be carefully packaged when being returned.

Once the risk of the goods has passed to the buyer, NSG is no longer responsible for any damage that may occur, with the exception of product liability (injury caused by a defective product manufactured by NSG). NSG cannot be held responsible for any indirect losses, e.g. loss of profits or loss due to time factors, which the buyer may have suffered as a consequence of defects and deficiencies.

For complaints made within the warranty period NSG demands a description of the defect or deficiency to be made in writing by

the customer. In order to file a complaint the customer should contact the person at NSG Customer Service Department who is responsible for the region.

The customer is further required to supply a photo supporting the description or to return the product. NSG shall consider the complaint within maximum 7 working days. NSG shall not be liable as specified above if damages have been caused by incorrect or abnormal product use or storage under extreme temperatures and climate conditions, or in case of product use inconsistent with NSG instructions.

## 6. Warranty

### Warranty period:

- 5 years (applicable to BN Office Solution and Rohde&Grahl products). Manufacturer declares that the products shall be free from defects in material or workmanship.

- 3 years (applicable to Nowy Styl products)

The warranty is given to the original purchaser only, for normal commercial usage.

Standard use/normal use is defined as the wear which occurs in an office environment during the course of a normal eight-hour work day with weight limitation not exceeding 110 kg. We will replace, to the original purchaser only, any defects in products, parts or components resulting from normal single - shift use. Natural wear and tear of fabrics, products, parts and components is not covered by the warranty.

The warranty does not cover labour, freight/shipping-handling charges, or damages caused by neglect, abuse, misuse, alterations or damage caused by shipment, fire, flood or other natural disasters.

Detailed terms of warranty are available at: [www.nowystylgroup.com/warranty](http://www.nowystylgroup.com/warranty)

To make a complaint please contact a designated person at NSG Customer Service Department, otherwise write directly to:

[export@nowystylgroup.com](mailto:export@nowystylgroup.com).

Collect as much information about the problem (description of the situation, photos) and send it in along with a copy of your receipt. Based on that information an official complaint form will be sent back to you.

# Cleaning and maintenance

## How to make your Nowy Styl Group furniture comfortable and damage-free for a long time:

1. Products must be used in accordance with the purpose they are intended for. Only correct assembly carried out according to instructions included in the assembly manual of the specific product, and subsequent sensible operation in conformity with user manual and these guidelines can assure long life of the product;
  2. We pack our products very carefully, nevertheless the use of sharp tools to open packaging may cause damage to furniture;
  3. Dents and irregular folds on upholstered furniture are most often caused by packing and transportation. Please wait calmly – the problem is normally gone after no later than a couple of days from unpacking;
  4. Long life of office furniture is achieved when it is used in an office environment. Please try not to use our products at temperatures lower than 15°C and higher than 30°C. Relative air humidity should be kept between 35% and 70%;
  5. High temperatures are destructive to furniture. Please do not place or store furniture directly next to heat sources such as radiators. Furniture should be placed at least 1 m away from a heat source;
  6. Sunlight has a negative impact on the colour of materials furniture is made of. Prolonged exposure of product to direct sunlight may result in local discolouration;
  7. Solvents and other chemicals as well as hot objects may damage furniture coatings. You can avoid tarnishes, discolouration and distortions by working with such objects and substances away from your furniture;
  8. Objects with sharp and rough edges may damage furniture. You are advised not to move or place such objects on furniture surface;
  9. Please use special caution when placing a heavy object on furniture. It may easily damage the surface. Upholstered furniture is particularly prone to deformation and denting;
  10. Do not stand on furniture or sit on armrests and backrests. It may be dangerous to both yourself and the product! It may cause an accident or damage furniture components;
  11. Loosened screws are a natural consequence of furniture use. Always act immediately if you notice that a screw has become loose. Please tighten all screws at least once every six months;
  12. The most comfortable way of moving a piece of furniture is to hold it by its vertical walls. Do not hold by fittings and handles not intended for carrying as you can easily damage the product;
  13. A desk or table should be lifted by its supporting structure, not by the top;
  14. Please move fixed furniture by lifting it up – moving it may cause damage to the furniture or floor.
  15. Before you start moving cabinets please remove their contents and lock doors and drawers;
  16. At least two people are required to move a piece of fixed furniture unless otherwise stated in assembly manual;
  17. One person is enough to move a piece of mobile furniture.
  18. Please exercise special caution when using furniture covered with natural veneer. It should be protected from contact with hot objects and chemicals, and sharp or heavy objects should not be moved on its surface. You are advised to use pads for mouse, keyboard and other heavy objects. In case of liquid spillage on furniture surface please immediately wipe away the liquid with a soft absorbent cloth;
  19. If you would like to move modular seats forming a set please first detach all components of the set. By moving individual components of a system separately you make sure they stay undamaged;
  20. A chair is intended to seat only one person (whose weight as prescribed by standards should be no more than 110 kg, for no longer than 8 hours a day) except for the chairs where expressly stated otherwise;
  21. A sofa should not be used at the same time by more people than is provided for a given model (e.g. a 3-seater sofa must not be used by more than three people at a time);
  22. As a standard all swivel chairs come equipped with hard, self-locking castors designed for soft surfaces. Castors for hard surfaces are available optionally;
  23. Please use protective floor mats or get appropriate castors to avoid damaging the floor. The Manufacturer does not bear responsibility for damage to flooring caused by the use of products;
  24. Repair or replacement of a gas lift can only be carried out by specially trained staff. Do not dismantle, disassemble or heat the gas lift on your own. It may result in damage to the gas lift and oil spillage;
  25. Most of visitor chairs are stackable. For your own safety please do not stack chairs higher than as provided for in the instructions for the given model enclosed with this warranty.
- Curb weight and total weight of a product (including packaging) are indicated on the identification sticker located in an inconspicuous spot on the surface of the furniture.

Please note: damage caused to a piece of furniture as a result of non-observance of these guidelines provides a basis for rejection of any complaints.

## Veneer-coated, melamine-coated and lacquered surfaces

Materials used in the manufacture of furniture include natural wood – veneer, as well as wood-based materials – melamine coated and raw fine chipboards, lacquered fibreboards and lacquered MDF. These surfaces should be cleaned with a soft, dry or wet fabric, and then wiped dry.

## Wood, plastics and chromium plated elements

Please bear in mind that wood is very prone to moisture. Detergents for cleaning wooden surfaces should therefore be mixed with small amounts of warm water. After cleaning furniture surface please wipe it dry. Wood, aluminum and chromium plated elements should be cleaned with generally available non-scratching detergents intended for the specific type of finish.

## Glass tops

Glass tops must be cleaned with care detergents for cleaning glass and then polished with a dry, clean cloth.

## Leather

With proper care, leather products can be preserved in perfect condition for many years. Leather should not be wetted, oiled or treated with abrasives. All dirty stains should be removed immediately. First, leather should be cleaned with a cloth slightly moistened in a mild cleaning solution of water and soap. Next, the surface should be wiped dry delicately. Use of vacuum cleaner is not recommended as it may result in scratched surface of leather. If special care agents for leather are used, it is recommended that the effect of the agent should be tested on a piece of leather before cleaning.

## Fabrics

To avoid fading of fabric, chairs, armchairs and sofas should always be protected from direct sunlight. All stains must be removed immediately. When removing stains and dirt from upholstery fabric please use a moist cloth soaked in warm water and delicate cleaning liquid and shampoo intended for the particular type of stain on furniture upholstery. It is recommended that the effect of the detergent should be tested on a piece of upholstery in an inconspicuous spot before cleaning. Additionally, fabric upholstery requires regular dusting. Please note: if improperly cleaned, furniture will wear much faster. Non-observance of these maintenance guidelines may provide a basis for rejection of any complaints.

# Dictionary

**Chromium plating** – in the chromium plating process, the metal elements of our furniture are covered with abovestandard thickness layer of nickel (45–50 microns) and chromium. Chromium plated elements (matt or gloss) become both durable and decorative components of the lounge seating furniture form.

**Chrome** – thoroughly polished detail is nickel plated in the layer of approx. 40–50 microns. The thickness of the nickel layer guarantees an outstanding quality and durability of the detail.

**Wood** – in the furniture manufacturing process, wood is used for the construction of its internal elements and as finishing material. Beech wood is used exclusively, for its hardness, to achieve the exceptional durability of elements.

**Furniture construction** – the internal frame of lounge seating furniture is made of solid wood or steel. In wooden construction, each element is joined mechanically by screws, not glue, which makes our furniture exceptionally durable and capable of carrying heavy load, while it maintains its original shape throughout many years of usage.

**Conical pipes** – are the pipes of original conical longitudinal cross-section. Furniture legs, made of this type of pipes, have the unusual aesthetic, decorative quality.

**Bonnell springs** – Bonnell is a spring unit which has a double-coned shape and is made of several dozen to several hundred interconnected coils. Because of their purpose Bonnell springs look quite characteristically: their diameter in the middle is smaller than at the ends, so their shape resembles an hour-glass. Bonnell spring unit is made of specially hardened wire with a diameter of 2.2 to 2.4 mm which gives it optimum strength and progressive spring characteristics dependent on the weight of load and high deformation resistance.

**Corrugated springs** – made of spring wire with 3.8 mm gauge, which fitted in a seat, spread the user's weight, and at the same time create a supporting base for other layers.

**Glass** – cristal, hardened glass sheets are used as 5 to 15 mm thick, translucent or matt tops for some of the tables from the BN Office Solution Sofas offer.

**Toughened glass** – glass with increased mechanical strength and greater resistance to shocks. Produced in the process of heat treatment of glass where it is heated up to 650–720 °C and cooled down rapidly. This kind of glass is 5 times stronger than regular non-toughened glass. After it is toughened, the glass cannot be cut and its edges cannot be

mechanically treated. When broken, it falls into tiny blunt pieces.

**Ceramic coated glass** – a kind of glass with one of the surfaces covered with ceramic coating which is fixed (baked) in a hardening furnace as part of a hardening process. This glass is obtained by coating glass with ceramic paint, drying the paint in a tunnel furnace and baking it in a hardening furnace, so that the paint gets permanently fused with glass surface. So applied paint has greater mechanical strength and enables gluing of, for example, items made of stainless steel to the painted surfaces of glass, ensuring high durability of the fusion weld.

**Etched glass** – a type of glass with one surface chemically treated (acid etching) to make the glass sheet matt. It has a durable and uniform matt surface.

**Antisol glass** – a through-dyed type of glass. Special ingredients are added to the raw materials from which glass is made at the melting stage, to obtain a coloured product. These are usually heavy metal compounds. The glass on our offer is Antisol graphite.



We KNOW HOW to  
**#MakeYourSpace**

[www.NowyStylGroup.com](http://www.NowyStylGroup.com)

